檔 號: 保存年限:

經濟部 函

地址:10015 臺北市福州街15號

承辦人:陳步凌 電話:(02)23977468 傳真:(02)23517080

電子信箱: chenbl@trade.gov.tw

受文者:台北市航空貨運承攬商業同業公會

發文日期:中華民國107年06月07日 發文字號:經貿字第10704603393號

速別:普通件

線

密等及解密條件或保密期限:

附件:如文(JCS5310704603390.pdf、JCS5410704603390.pdf、JCS5510704603390.pdf

· JCS5610704603390. pdf · JCS5710704603390. pdf · JCS5810704603390. pdf · JCS

5910704603390. pdf)

主旨: CCC7210.70.10.00-5「塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率50赫芝最大磁通密度1.5章伯/平方公尺時鐵心損失在6.5瓦特/公斤及以上者」等17項臺灣產製之貨品輸往越南,取得本部國際貿易局核發之輸往越南彩色鋼板配額證明書者,出口時應主動於出口報單「輸出入許可文件號碼-項次」欄位填報證明書號碼向海關申報,並列入「限制輸出貨品表」,業經本部於中華民國107年6月7日以經貿字第10704603390號公告修正,檢送前揭公告影本(含附件)1份,請查照。

正本:司法院秘書長、行政院經濟能源農業處、行政院法規會、法務部、交通部、財政部關務署、財政部關務署通關業務組、財政部關務署稽核業務組、財政部關務署關稅則法制組、財政部關務署關稅財政部關務署基隆關、財政部關務署臺北關、財政部關務署臺中關、財政部關務署高雄關、科技部產學及園、業務司、科技部新竹科學工業園區管理局、科技部中部科學工業園區管理局、經濟部研究發展委員會、經濟部科學工業園區管理局、經濟部研究發展委員會、經濟部標準檢驗局、經濟部中區聯合服務中心、財團法規委員會、經濟部加工出口區管理處、駐美國代表處經濟經濟部為一個對外貿易發展協會【請刊登國際商情雙周刊】、中華民國全國商業經會、台灣鋼鐵工業同業公會、台灣省進出口商業同業公會、台灣的人會、高雄市進出口商業同業公會、行道縣進出口商業同業公會、直蘭縣進出口商業同業公會、基隆市





蚕

檔 號: 保存年限:

經濟部 函

地址:10015 臺北市福州街15號

承辦人:陳步凌 電話:(02)23977468 傳真:(02)23517080

電子信箱: chenbl@trade.gov.tw

受文者:台北市報關商業同業公會

發文日期:中華民國107年06月07日 發文字號:經貿字第10704603393號

速別:普通件

密等及解密條件或保密期限:

附件:如文(JCS5310704603390.pdf、JCS5410704603390.pdf、JCS5510704603390.pdf

· JCS5610704603390. pdf · JCS5710704603390. pdf · JCS5810704603390. pdf · JCS

5910704603390. pdf)

主旨: CCC7210.70.10.00-5「塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率50赫芝最大磁通密度1.5章伯/平方公尺時鐵心損失在6.5瓦特/公斤及以上者」等17項臺灣產製之貨品輸往越南,取得本部國際貿易局核發之輸往越南彩色鋼板配額證明書者,出口時應主動於出口報單「輸出入許可文件號碼-項次」欄位填報證明書號碼向海關申報,並列入「限制輸出貨品表」,業經本部於中華民國107年6月7日以經貿字第10704603390號公告修正,檢送前揭公告影本(含附件)1份,請查照。

正本:司法院秘書長、行政院經濟能源農業處、行政院法規會、法務部、交通部 閣務署 副關務署 通關業務組、財政部關務署稽核業務組、財政部關務署 規則法制組、財政部關務署關務署 基隆關、財政部關務署基隆關、財政部關務署臺 北關、財政部關務署臺中關、財政部關務署高雄關、科技部產學及園、業務司、科技部新竹科學工業園區管理局、科技部中部科學工業園區管理局、經濟部研究發展委員會、經濟部科學工業園區管理局、經濟部研究發展委員會、經濟部本是與經濟部中區聯合服務中心、經濟部標準檢驗局、經濟部中區聯合服務中心、財團法規委員會、經濟部加工出口區管理處、駐美國代表處經濟組、財團法人中華民國對外貿易發展協會【請刊登國際商情雙周刊】、中華民國全國商業經會、台灣鋼鐵工業同業公會、台灣省進出口商業同業公會、台灣和資訊,高雄市進出口商業同業公會、行道縣進出口商業同業公會、定蘭縣進出口商業同業公會、基隆市



· 訂

線

裝

訂

:




副本: 電2018-08-07次 交 09:段:50章

檔 號: 保存年限:

經濟部 公告

發文日期:中華民國107年06月07日 發文字號:經貿字第10704603390號

附件:如文



主旨:公告修正「限制輸出貨品表」,自中華民國一○七年六月十五日起CCC7210.70.10.00-5「塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率50赫芝最大磁通密度1.5章伯/平方公尺時鐵心損失在6.5瓦特/公斤及以上者」等17項臺灣產製之貨品(如附件1)輸往越南,取得本部國際貿易局(下稱貿易局)核發之輸往越南彩色鋼板配額證明書者,出口時應主動於出口報單「輸出入許可文件號碼-項次」欄位填報證明書號碼向海關申報。

依據:貿易法第十一條第二項、貨品輸出管理辦法第五條。

公告事項:

一、越南106年5月31日公告自106年6月15日起對我國旨揭貨品啟動3年關稅配額之防衛措施(不受防衛稅之進口配額量第106年度14,428公噸、107年度15,871公噸、108年度17,458公噸)。我國旨揭貨品倘未以越南海防市及胡志明市2港口為進口港,或未取得貿易局核發之配額證明書,或出口到越南時超過我國獲配之配額,越南進口人報關進口該等貨品時,將適



用配額外防衛稅率19%。

二、為協助廠商因應此項措施、維護貿易秩序及政策需要,本部爰配合越南規定,公告我國出口人出口旨揭貨品,採行限制措施。擬使越南進口人享有配額內防衛稅率(0%)之出口人,應依本公告向貿易局申請年度配額,出口前逐批申請輸往越南彩色鋼板配額證明書(如附件2),並應於出口時主動於出口報單「輸出入許可文件號碼-項次」欄位填報證明書號碼向海關申報。



三、旨揭貨品年度配額規定如下:

- (一)107年度配額期間:107年6月15日起至108年6月14日止。
- (二)107年度配額總量:15,871公噸。

(三)107年度配額分配:

- 1、出進口廠商於104年至106年間具旨揭貨品出口越南實績者(如附件3),得於107年6月12日下午5時前檢附輸往越南彩色鋼板107年度第1次配額申請書(如附件4)送達貿易局申請配額,由該局依實績比例核配,逾時不受理;第1次配額利用期間為107年6月15日起至108年1月14日止。
- 2、獲配廠商得檢附轉讓同意書(如附件5)向貿易局申請配額轉讓。
- 3、獲配廠商108年1月14日止未利用之配額將由貿易局收回並視配額利用情形再辦理第2次配額分配。但獲配廠商如仍須利用已獲配而尚未利用之配額,得於108年1月14日前檢附交易證明文件向該局申請延期利用。

四、輸往越南彩色鋼板配額證明書之申請:

(一)獲配廠商,出口前應逐批向貿易局申請輸往越南彩色鋼板 配額證明書(申請書如附件6)。



- (二)出口人取得證明書後應於1個月內辦理出口。
- (三)出口時應主動於出口報單「輸出入許可文件號碼-項次」欄 位填報證明書號碼向海關申報。
- (四)出口人應將配額證明書送交越南進口人,向進口地海關申報 報 [2]





限制輸出貨品明細表

	T	スポート A B A A A A A A A A A A A A A A A A A
序號	CCC 號列	貨 品 名 稱
1	7210.70.10.00-5	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心損失在 6.5 瓦特/公斤及以上者
		Flat-rolled products of iron or non-alloy steel, painted, varnished
		or coated with plastics, with electrical characteristics, at
		frequency of 50Hz and magnetic flux density of 1.5 Wb/m2, the
		iron loss 6.5 W/kg or more
		塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特
2	7210.70.20.00-3	性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心
		損失在5瓦特/公斤及以上但未達6.5瓦特/公斤者
		Flat-rolled products of iron or non-alloy steel, painted, varnished
		or coated with plastics, with electrical characteristics, at
		frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the
		iron loss5 W/kg or more but less than 6.5 W/kg
		塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特
3	7210.70.30.00-1	性,以頻率 50 赫芝最大磁通密度 105 韋伯/平方公尺時鐵心
		損失低於5瓦特/公斤者
		Flat-rolled products of iron or non-alloy steel, painted, varnished
		or coated with plastics, with electrical characteristics, at
		frequency of 50Hz and magnetic flux density of 1.5 Wb/m2, the
		iron loss less than 5 W/kg
4	7210.70.90.11-5	以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼
•	/210./0.90.11-3	扁軋製品
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with zinc
5	7210.70.90.12-4	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非
	1210.70.30.12-4	台並劉備判表 如
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with
		zinc-aluminium alloys

6	7210.70.90.13-3	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或 非合金鋼扁軋製品
		Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium-magnesium alloys
7	7210.70.90.19-7	其他以熱浸鍍鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc
8	7210.70.90.20-4	alloys 以熱浸鍍鋁鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, vanished
9	7210.70.90.30-2	一类
		Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on electrolytically plated or coated with zinc or zinc-alloy
10	7210.70.90.40-0	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on cold-rolled
11	7210.70.90.90-9	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics
12	7212.40.10.00-0	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 105 韋伯/平方公尺時鐵心損失在 6.5 瓦特/公斤及以上者 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at
		frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss 6.5 W/kg or more
13	7212.40.20.00-8	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心損失在 5 瓦特/公斤及以上但未達 6.5 瓦特/公斤者 Flat-rolled products of iron or non-alloy steel, painted, varnished

		or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss 5 W/kg or more but less than 6.5 W/kg
14	7212.40.30.00-6	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心損失低於 5 瓦特/公斤者 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss less than 5W/kg
15	7212.40.90.00-3	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品 Other flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics
16	7225.99.10.00-5 EX	其他合金鋼之扁軋製品,寬度 600 公厘及以上,經鍍面、塗面或護面者,高速鋼除外 Flat-rolled products of other alloy steel, plated, coated or clad, of a width of 600 mm or more, excluding high speed steel
17	7226.99.90.00-7	其他合金鋼扁軋製品,寬度小於 600 公厘者 Flat-rolled products of other alloy steel, of a width of less than 600 mm

Export	er's Name and Addre	ss	Certificate No.				
			SAFEGUARD QUOTA CE	RTIFICATE OF			
Import	ter's Name and Addres	s					
				Pre-painted Galvanized Steel Sheet and Strip			
			Export to viet	Export to Vietnam			
	Discharge		Port of Loading				
		☐ Ho Chi Minh City					
Item	HS Code (TW)	HS Code (VN)	Description of Goods	Quantity/Unit			
Remai	rks		Certifying Authority				
Remar	rks		Certifying Authority	Salvas Ellinos			

附件 3

104-106年彩色鋼板輸往越南27家廠商名單(依廠商統一編號排序)

序號	廠商名稱
1	客來博企業股份有限公司
2	鼎弘金屬科技股份有限公司
3	瑞越企業有限公司
4	草衙機械工程有限公司
5	福密實業股份有限公司
6	華明鋼鐵股份有限公司
7	台朔重工股份有限公司
8	南駿貿易有限公司
9	盟鑫金屬股份有限公司
10	元大興企業有限公司
11	翊聖鋼鐵有限公司
12	益瑞興業有限公司
13	南冠貿易有限公司
14	威明企業社
15	意慶發企業有限公司
16	鑫進企業有限公司
17	禾詮鋼鐵有限公司
18	隆廷有限公司
19	大鼎興業股份有限公司
20	燁輝企業股份有限公司
21	盛餘股份有限公司
22	昀真工程有限公司
23	凱景實業股份有限公司
24	尚興鋼鐵工業股份有限公司
25	聯琦金屬股份有限公司
26	禾寶實業股份有限公司

27

輸往越南彩色鋼板第2年度第1次配額申請書

				公司	申請	輸往	越		色鱼鱼	岡板第	2
年度第1次	(107	年6月	15	日至	108	年1	月	14	日)	配額	0
申請廠商:											
統一編號:											
代表人:											
公司名稱:									_		
(請加蓋公	司及代	表人戶	7章)							

此致

經濟部國際貿易局

中華民國

年

月

日

輸往越南彩色鋼板配額轉讓同意書

公司(出讓廠商)) 同意轉讓輸往越南彩
色鋼板公噸予	公司(受讓廠商)。
出讓廠商:	
統一編號:	
代表人:	
公司名稱:	
(請加蓋公司及代表人印章)	
受讓廠商:	
統一編號:	
代表人:	
公司名稱:	
(請加蓋公司及代表人印章)	

出口人	名稱及地址 Exporter's	Name and Address	證號 Certificate No.		
進口人	名稱及地址 Importer's	Name and Address	輸往越南彩色鋼板配額證明書 SAFEGUARD QUOTA CERTIFICATE OF Pre-painted Galvanized Steel Sheet and Strip Export to Vietnam (申請書)		
. //1				,	
	Port of Discharge		裝貨港 Port of Loading		
□海防	市 Hai Phong City	钥志明市 Ho Chi Minh City	y		
項次	貨品號列(臺灣)*	稅則號別(越南)*	貨品描述含名稱、型號、規格	數量/單位	
Item	HS Code (TW)	HS Code (VN)	Description of Goods	Quantity/Unit	
	出口人)切结:The exporter h				
	書內所列之貨品原產地為臺灣 ods listed in this certificate origi				
		:)		
□①我區	國完全取得 The goods are obtai	ined completely in Taiwan.			
	國完全生產 The goods are produ 加工製造涉及我國與其他國家:	luced entirely in Taiwan. 或地區共同參與者,以在我國境F	內產生最終實質轉刑者為限:		
		terials conform to the following rule			
		碼改變 The non-originating materi	als used in the production of the goods shall u	undergo a change of Tariff	
	ieading, CTSH. 品經加工或製造後未造成稅則]前 6 位碼改變,但附加價值率表	超過 35% The non-originating materials use	d in production have not	
		ading, but the Value Added Rate exc		1	

□⑤貨品經加工或製造後未造成稅則前 6 位碼改變,但符合貿易局公告之重要製程者 The non-originating materials used in production have

This certificate is truthfully filled out. Any false statement made in this document or violation of the relevant laws is subject to administrative

not undergone a change of Tariff Subheading, but the processing operations specified by the BOFT have been conducted in Taiwan.

3.上述內容均已據實填報,如有不實或有違法情事,願依貿易法第28條規定接受行政處罰。

penalty in accordance with Article 28 of the "Foreign Trade Act".