經濟部 函

地址:10015 臺北市福州街15號

承辦人:李映姗

電話:(02)23977566 分機:566

傳真:(02)23970522

電子信箱:ydnam613@trade.gov.tw

受文者:台北市航空貨運承攬商業同業公會

發文日期:中華民國108年05月30日 發文字號:經貿字第10804602263號

速別:普通件

密等及解密條件或保密期限:

附件:如文 (JCS4810804602260.pdf、JCS5010804602260.pdf、JCS5110804602260.

pdf \ JCS5210804602260. pdf \ JCS5310804602260. pdf \ JCS5410804602260.

pdf \ JCS7610804602260.pdf)

主旨: CCC7210.70.10.00-5「塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率50赫芝最大磁通密度1.5韋伯/平方公尺時鐵心損失在6.5瓦特/公斤及以上者」等37項臺灣產製之貨品輸往越南,取得本部國際貿易局核發之輸往越南彩色鋼板配額證明書者,出口時應主動於出口報單「輸出入許可文件號碼-項次」欄位填報證明書號碼向海關申報,並列入「限制輸出貨品表」,業經本部於中華民國108年5月30日以經貿字第10804602260號公告修正,檢送前揭公告影本(含附件)1份,請查照。

正本:司法院秘書長、行政院經濟能源農業處、行政院法規會、法務部、交通部航港局、交通部民用航空局、財政部關務署、財政部關務署通關業務組、財政部關務署權核業務組、財政部關務署臺北關、財政部關務署臺中關、財政部關務署高雄關、科技部、科技部產學及園區業務司、科技部新竹科學工業園區管理局、科技部中部科學工業園區管理局、科技部南部科學工業園區管理局、經濟部秘書室、經濟部研究發展委員會、經濟部法規委員會、經濟部工業局、經濟部標準檢驗局、經濟部中區聯合服務中心、經濟部由區聯合服務中心、經濟部加工出口區管理處、駐美國代表處經濟組、財團法人中華民國對外貿易發展協會【請刊登國際商情雙周刊】、中華民國全國工業總會、中華民國全國商業總會、台灣鋼鐵工業同業公會、台灣省進出口商業同業公會聯合會、台北市進出口商業同業公會【請





刊登貿易週刊】、高雄市進出口商業同業公會、花蓮縣進出口商業同業公會、宜 蘭縣進出口商業同業公會、基隆市進出口商業同業公會、新北市進出口商業同業 公會、桃園市進出口商業同業公會、新竹市進出口商業同業公會、新竹縣進出口 商業同業公會、苗栗縣進出口商業同業公會、台中市進出口商業同業公會、台中 縣進出商業同業公會、南投縣進出口商業同業公會、彰化縣進出口商業同業公 會、雲林縣進出口商業同業公會、嘉義市進出口商業同業公會、嘉義縣進出口商 業同業公會、台南市進出口商業同業公會、台南縣進出口商業同業公會、高雄縣 進出口商業同業公會、屏東縣進出口商業同業公會、台東縣進出口商業同業公 會、澎湖縣進出口商業同業公會、中華民國報關商業同業公會全國聯合會、台北 市報關商業同業公會、基隆市報關商業同業公會、花蓮縣報關商業同業公會、宜 蘭縣報關商業同業公會、高雄市報關商業同業公會、台中市報關商業同業公會、 台北市航空貨運承攬商業同業公會、高雄市航空貨運承攬商業同業公會【以上請 轉知各會員】、經濟部國際貿易局(雙邊貿易一組,秘書室(法制),貿易服務組)、 經濟部國際貿易局高雄辦事處







限制輸出貨品明細表

序號	CCC 號列	貨 品 名 稱
1	7210.70.10.00-5	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心損失在 6.5 瓦特/公斤及以上者
		Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m2, the iron loss 6.5 W/kg or more
2	7210.70.20.00-3	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心
		損失在5瓦特/公斤及以上但未達6.5瓦特/公斤者 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss5 W/kg or more but less than 6.5 W/kg
3	7210.70.30.00-1	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 105 韋伯/平方公尺時鐵心損失低於 5 瓦特/公斤者 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at
		frequency of 50Hz and magnetic flux density of 1.5 Wb/m2, the iron loss less than 5 W/kg
4	7210.70.90.51-6	以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤狀,厚度小於 0.25 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc, in coils,
		of a thickness less than 0.25 mm 以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼
5	7210.70.90.52-5	扁軋製品,捲盤狀,厚度 0.25 公厘及以上但小於 0.55 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc, in coils, of a thickness of 0.25 mm or more but less than 0.55 mm

6	7210.70.90.53-4	Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc, in coils,
		of a thickness of 0.55 mm or more
7	7210.70.90.71-2	以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,非捲盤狀
		Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc, not in coils
		以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非
8	7210.70.90.54-3	
		百並劉備判表的,掩盤欣,序及小尔 U. 40 公准
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with
		zinc-aluminium alloys, in coils, of a thickness less than 0.25 mm
	7210 70 00 55 2	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非
9	7210.70.90.55-2	合金鋼扁軋製品,捲盤狀,厚度 0.25 公厘及以上但小於 0.55
		公厘
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with
		zinc-aluminium alloys, in coils, of a thickness of 0.25 mm or
		more but less than 0.55 mm
		以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非
10	7210.70.90.56-1	合金鋼扁軋製品,捲盤狀,厚度 0.55 公厘及以上
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with
		zinc-aluminium alloys, in coils, of a thickness of 0.55 mm or
		more
		以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非
11	7210.70.90.72-1	合金鋼扁軋製品,非捲盤狀
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with
		zinc-aluminium alloys, not in coils
		以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或
12	7210.70.90.57-0	非合金鋼扁軋製品,捲盤狀,厚度小於 0.55 公厘
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with

		zinc-aluminium-magnesium alloys, in coils, of a thickness less than 0.55 mm	
13	7210.70.90.58-9	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤狀,厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished	
		or coated with plastics, based on hot-dipped with zinc-aluminium-magnesium alloys, in coils, of a thickness of 0.55 mm or more	
14	7210.70.90.73-0	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,非捲盤狀	
		Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium-magnesium alloys, not in coils	
15	7210.70.90.59-8	其他以熱浸鍍鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤狀	
		Other flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc alloys, in coils	
16	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或 7210.70.90.21-3 合金鋼扁軋製品,捲盤狀,厚度小於 0.25 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanish		
		or coated with plastics, based on hot-dipped with aluminium-zinc alloys, in coils, of a thickness less than 0.25 mm	
17	7210.70.90.22-2	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤狀,厚度 0.25 公厘及以上但小於 0.55 公厘	
		Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with	
		aluminium-zinc alloys, in coils, of a thickness of 0.25 mm or more but less than 0.55 mm	
18	7210.70.90.23-1	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤狀,厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished	
		or coated with plastics, based on hot-dipped with	

		aluminium-zinc alloys, in coils, of a thickness of 0.55 mm or more
19	7210.70.90.74-9	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,非捲盤狀
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with
		aluminium-zinc alloys, not in coils
20	7210.70.90.31-1	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠
20	7210.70.90.31 1	之鐵或非合金鋼扁軋製品,捲盤狀,厚度小於 0.25 公厘
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on electrolytically plated or coated
		with zinc or zinc-alloy, in coils, of a thickness less than 0.25 mm
21	7210.70.90.32-0	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠
21	7210.70.90.32-0	之鐵或非合金鋼扁軋製品,捲盤狀,厚度 0.25 公厘及以上但
		小於 0.55 公厘
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on electrolytically plated or coated
		with zinc or zinc-alloy, in coils, of a thickness of 0.25 mm or
		more but less than 0.55 mm
		以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠
22	7210.70.90.33-9	之鐵或非合金鋼扁軋製品,捲盤狀,厚度 0.55 公厘及以上
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on electrolytically plated or coated
		with zinc or zinc-alloy, in coils, of a thickness of 0.55 mm or
		more
		以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠
23	7210.70.90.75-8	之鐵或非合金鋼扁軋製品,非捲盤狀
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on electrolytically plated or coated
		with zinc or zinc-alloy, not in coils
_		以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋
24	7210.70.90.41-9	製品,捲盤狀,厚度小於 0.25 公厘
		Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on cold-rolled, in coils, of a

		thickness less than 0.25 mm	
25	7210.70.90.42-8	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋 製品,捲盤狀,厚度 0.25 公厘及以上但小於 0.55 公厘	
		Flat-rolled products of iron or non-alloy steel, painted, vanished	
		or coated with plastics, based on cold-rolled, in coils, of a	
		thickness of 0.25 mm or more but less than 0.55 mm	
		以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋	
26	7210.70.90.43-7	製品,捲盤狀,厚度 0.55 公厘及以上	
		Flat-rolled products of iron or non-alloy steel, painted, vanished	
		or coated with plastics, based on cold-rolled, in coils, of a	
		thickness of 0.55 mm or more	
27	7210 70 00 76 7	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋	
27	7210.70.90.76-7	製品,非捲盤狀	
		Flat-rolled products of iron or non-alloy steel, painted, vanished	
		or coated with plastics, based on cold-rolled, not in coils	
20	28 7210.70.90.79-4	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,非捲	
28		盆	
		Other flat-rolled products of iron or non-alloy steel, painted,	
		vanished or coated with plastics, not in coils	
29	7210 70 90 91-8	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤	
2)	7210.70.90.91-0	狀,厚度小於 0.25 公厘	
		Other flat-rolled products of iron or non-alloy steel, painted,	
		vanished or coated with plastics, in coils, of a thickness less than	
		0.25 mm	
30	7210 70 90 92-7	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤	
	7210.70.90.92-7	狀,厚度 0.25 公厘及以上但小於 0.55 公厘	
		Other flat-rolled products of iron or non-alloy steel, painted,	
		vanished or coated with plastics, in coils, of a thickness of 0.25	
		mm or more but less than 0.55 mm せいかは、まなよみ要治園を作される人間自む制力、場所	
31	7210.70.90.93-6	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤 狀,厚度 0.55 公厘及以上	
		Other flat-rolled products of iron or non-alloy steel, painted,	
		vanished or coated with plastics, in coils, of a thickness of 0.55	

		mm or more
32	7212.40.10.00-0	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 105 韋伯/平方公尺時鐵心
		損失在 6.5 瓦特/公斤及以上者
		Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at
		frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss 6.5 W/kg or more
22	7212 40 20 00 0	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特
33	/212.40.20.00-8	性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心
		損失在5瓦特/公斤及以上但未達6.5瓦特/公斤者
		Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at
		frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the
		iron loss 5 W/kg or more but less than 6.5 W/kg
2.4	7212 40 20 00 6	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特
34	7212.40.30.00-6	性,以頻平 50 辦之取入嘅通名及 1.3 年们/ 十万公人时鐵〇
		損失低於5瓦特/公斤者 Electronical and the second control and the second cont
		Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at
		frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss less than 5W/kg
		其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品
35	7212.40.90.00-3	Other flat-rolled products of iron or non-alloy steel, painted,
		varnished or coated with plastics
36	7225.99.10.00-5	其他合金鋼之扁軋製品,寬度600公厘及以上,經鍍面、塗
30	EX	面或護面者,高速鋼除外
		Flat-rolled products of other alloy steel, plated, coated or clad, of a width of 600 mm or more, excluding high speed steel
		其他合金鋼扁軋製品,寬度小於 600 公厘者
37	7226.99.90.00-7	Flat-rolled products of other alloy steel, of a width of less than
		600 mm

出口人	名稱及地址 Exporter's	Name and Address	證號 Certificate No.	
進口人名稱及地址 Importer's Name and Address			輸往越南彩色鋼板配額證明書 SAFEGUARD QUOTA CERTIFICATE OF Pre-painted Galvanized Steel Sheet and Strip Export to Vietnam (申請書)	
	Port of Discharge	a + 미 + H. Chi Minh	裝貨港 Port of Loading	<u> </u>
□ 凄 項次 Item	5 中 Hai Phong City 貨品號列(臺灣)* HS Code (TW)	胡志明市 Ho Chi Minh (稅則號別(越南)* HS Code (VN)	貨品描述含名稱、型號、規格 Description of Goods	數量/單位 Quantity/Unit
申請人(出口人)切結:The exporter l	nereby declares that:		
1.本證明 The goo 2.本證明 ② 2.本證明 ② 2.我國 ⑤ 2.我國 ⑤ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	書內所列之貨品原產地為臺灣ods listed in this certificate origi 書內所列之貨品符合下列原產 完全取得 The goods are obtain 完全生產 The goods are produ 加工製造涉及我國與其他國家 ds that use non-originating matu 經加工或製造後稅則前6位碼 eading, CTSH. 過經加工或製造後未造成稅則 rgone a change of Tariff Subhea 經加工或製造後未造成稅則 indergone a change of Tariff Subhea 你均已據實填報,如有不實或	nate in Taiwan. 地認定標準:(①~⑤請勾選1項ed completely in Taiwan. 或地區共同參與者,以在我國erials conform to the following ro改變 The non-originating mater 則前6位碼改變,但附加價值 ding, but the Value Added Rate ef 16位碼改變,但符合貿易局公 heading, but the processing oper 有違法情事,願依貿易法第28 ny false statement made in this de	境內產生最終實質轉型者為限: ales: ials used in the production of the goods shall of the special state of the special special state of the special speci	ed in production have no ls used in production have sted in Taiwan.

輸往越南彩色鋼板配額轉讓同意書

	公司	(出讓廠商)	同意轉誌	襄輸往越南
彩色鋼板	噸予		公司	(受讓廠
商)。				
出讓廠商:				
統一編號:				
代表人:				
公司名稱:				
(請加蓋公	司及代表人	印章)		
受讓廠商:				
統一編號:				
代表人:				
公司名稱:				
(請加蓋公	司及代表人	印章)		

中華民國

年

月

中華民國

輸往越南彩色鋼板第3年度第1次配額申請書

公司甲請輸往越南彩色鋼板
第3年度第1次(108年6月15日至109年1月14日)
配額。
申請廠商:
統一編號:
代表人:
公司名稱:
(請加蓋公司及代表人印章)
此致
經濟部國際貿易局

年

月

日

105-107 年彩色鋼板輸往越南 26 家廠商名單(依廠商統一編號排序)

序號	廠商名稱
1	鼎弘金屬科技股份有限公司
2	瑞越企業有限公司
3	福密實業股份有限公司
4	華明鋼鐵股份有限公司
5	台朔重工股份有限公司
6	南駿貿易有限公司
7	苡銓有限公司
8	盟鑫金屬股份有限公司
9	元大興企業有限公司
10	翊聖鋼鐵有限公司
11	益瑞興業有限公司
12	威明企業社
13	意慶發企業有限公司
14	鑫進企業有限公司
15	禾詮鋼鐵有限公司
16	盛德工業股份有限公司
17	大鼎興業股份有限公司
18	燁輝企業股份有限公司
19	伍經企業股份有限公司
20	盛餘股份有限公司
21	昀真工程有限公司
22	凯景實業股份有限公司
23	尚興鋼鐵工業股份有限公司
24	聯琦金屬股份有限公司
25	禾寶實業股份有限公司
26	金耘鋼鐵股份有限公司

Exporter's Name and Address			Certificate No.	
			SAFEGUARD QUOTA CE	RTIFICATE OF
Import	ter's Name and Addres	s	Pre-painted Galvanized Stee	
			Export to Vietn	am
	Discharge	□ Ho Chi Minh City	Port of Loading	
		Ho Chi Minh City	5 11 00 1	5
Item	HS Code (TW)	HS Code (VN)	Description of Goods	Quantity/Unit
B				
Remai	rks		Certifying Authority FORE LONG.	A THE BOY

檔 號: 保存年限:

經濟部 公告

發文日期:中華民國108年05月30日 發文字號:經貿字第10804602260號

附件:如文





主旨:公告修正「限制輸出貨品表」,自中華民國一百零八年六月 十五日起CCC7210.70.10.00-5「塗漆、清漆或被覆塑膠之鐵 或非合金鋼扁軋製品,具電氣特性,以頻率50赫芝最大磁通 密度1.5章伯/平方公尺時鐵心損失在6.5瓦特/公斤及以上 者」等37項臺灣產製之貨品(如附件1)輸往越南,取得本部 國際貿易局(下稱貿易局)核發之輸往越南彩色鋼板配額證明 書者,出口時應主動於出口報單「輸出入許可文件號碼-項 次」欄位填報證明書號碼向海關申報。

依據:貿易法第十一條第二項、貨品輸出管理辦法第五條。

公告事項:

一、越南106年5月31日公告自106年6月15日起對我國旨揭貨品啟動3年關稅配額之防衛措施(不受防衛稅之進口配額量第106年度14,428公噸、107年度15,871公噸、108年度17,458公頓)。我國旨揭貨品倘未以越南海防市及胡志明市2港口為進口港,或未取得貿易局核發之配額證明書,或出口到越南時超過我國獲配之配額,越南進口人報關進口該等貨品時,將適

用配額外防衛稅率19%。

二、為協助廠商因應此項措施、維護貿易秩序及政策需要,本部爰配合越南規定,公告我國出口人出口旨揭貨品,採行限制措施。擬使越南進口人享有配額內防衛稅率(0%)之出口人,應依本公告向貿易局申請年度配額,出口前逐批申請輸往越南彩色鋼板配額證明書(如附件2),並應於出口時主動於出口報單「輸出入許可文件號碼-項次」欄位填報證明書號碼向海關申報。



三、旨揭貨品年度配額規定如下:

- (一)108年度配額期間:108年6月15日起至109年6月14日止。
- (二)108年度配額總量:17,458公噸。

(三)108年度配額分配:

- 1、出進口廠商於105年至107年間具旨揭貨品出口越南實績者(如附件3),得於108年6月10日下午5時前檢附輸往越南彩色鋼板108年度第1次配額申請書(如附件4)送達貿易局申請配額,由該局依實績比例核配,逾時不受理;第1次配額利用期間為108年6月15日起至109年1月14日止。
- 2、獲配廠商得檢附轉讓同意書(如附件5)向貿易局申請配額轉讓。
- 3、獲配廠商109年1月14日止未利用之配額將由貿易局收回並視配額利用情形再辦理第2次配額分配。但獲配廠商如仍須利用已獲配而尚未利用之配額,得於109年1月14日前檢附交易證明文件向該局申請延期利用。

四、輸往越南彩色鋼板配額證明書之申請:

(一)獲配廠商,出口前應逐批向貿易局申請輸往越南彩色鋼板 配額證明書(申請書如附件6)。

- (二)出口人取得證明書後應於1個月內辦理出口。
- (三)出口時應主動於出口報單「輸出入許可文件號碼-項次」欄 位填報證明書號碼向海關申報。
- (四)出口人應將配額證明書送交越南進口人,向進口地海關申報 (四)出口人應將配額證明書送交越南進口人,向進口地海關申



部長池游洋

經濟部 函

地址:10015 臺北市福州街15號

承辦人: 李映姗

電話:(02)23977566 分機:566

傳真:(02)23970522

電子信箱:ydnam613@trade.gov.tw

受文者:台北市報關商業同業公會

發文日期:中華民國108年05月30日 發文字號:經貿字第10804602263號

速別:普通件

密等及解密條件或保密期限:

附件:如文 (JCS4810804602260.pdf、JCS5010804602260.pdf、JCS5110804602260.

pdf · JCS5210804602260. pdf · JCS5310804602260. pdf · JCS5410804602260.

pdf \ JCS7610804602260.pdf)

主旨: CCC7210.70.10.00-5「塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率50赫芝最大磁通密度1.5章伯/平方公尺時鐵心損失在6.5瓦特/公斤及以上者」等37項臺灣產製之貨品輸往越南,取得本部國際貿易局核發之輸往越南彩色鋼板配額證明書者,出口時應主動於出口報單「輸出入許可文件號碼-項次」欄位填報證明書號碼向海關申報,並列入「限制輸出貨品表」,業經本部於中華民國108年5月30日以經貿字第10804602260號公告修正,檢送前揭公告影本(含附件)1份,請查照。

正本:司法院秘書長、行政院經濟能源農業處、行政院法規會、法務部、交通部航港局、交通部民用航空局、財政部關務署、財政部關務署通關業務組、財政部關務署稽核業務組、財政部關務署臺北關、財政部關務署臺中關、財政部關務署高雄關、科技部、科技部產學及園區業務司、科技部新竹科學工業園區管理局、科技部中部科學工業園區管理局、科技部南部科學工業園區管理局、經濟部秘書室、經濟部研究發展委員會、經濟部法規委員會、經濟部工業局、經濟部標準檢驗局、經濟部中區聯合服務中心、經濟部由區聯合服務中心、經濟部加工出口區管理處、駐美國代表處經濟組、財團法人中華民國對外貿易發展協會【請刊登國際商情雙周刊】、中華民國全國工業總會、中華民國全國商業總會、台灣鋼鐵工業同業公會、台灣省進出口商業同業公會聯合會、台北市進出口商業同業公會【請





限制輸出貨品明細表

序號	CCC 號列	貨 品 名 稱
1	7210.70.10.00-5	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心損失在 6.5 瓦特/公斤及以上者
		Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m2, the iron loss 6.5 W/kg or more
2	7210.70.20.00-3	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心
		損失在5瓦特/公斤及以上但未達6.5瓦特/公斤者 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss5 W/kg or more but less than 6.5 W/kg
3	7210.70.30.00-1	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 105 韋伯/平方公尺時鐵心損失低於 5 瓦特/公斤者 Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at
		frequency of 50Hz and magnetic flux density of 1.5 Wb/m2, the iron loss less than 5 W/kg
4	7210.70.90.51-6	以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤狀,厚度小於 0.25 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc, in coils,
		of a thickness less than 0.25 mm 以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼
5	7210.70.90.52-5	扁軋製品,捲盤狀,厚度 0.25 公厘及以上但小於 0.55 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc, in coils, of a thickness of 0.25 mm or more but less than 0.55 mm

6	7210.70.90.53-4	以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤狀,厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc, in coils, of a thickness of 0.55 mm or more
7	7210.70.90.71-2	以熱浸鍍鋅為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼 扁軋製品,非捲盤狀
		Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc, not in coils
8	7210.70.90.54-3	Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with zinc-aluminium alloys, in coils, of a thickness less than 0.25 mm
9	7210.70.90.55-2	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非
		公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with
		zinc-aluminium alloys, in coils, of a thickness of 0.25 mm or more but less than 0.55 mm
10	7210.70.90.56-1	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤狀,厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium alloys, in coils, of a thickness of 0.55 mm or
		more
11	7210.70.90.72-1	以熱浸鍍鋅鋁合金為底材之塗漆、清漆或被覆塑膠之鐵或非 合金鋼扁軋製品,非捲盤狀
		Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc-aluminium alloys, not in coils
12	7210.70.90.57-0	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或 非合金鋼扁軋製品,捲盤狀,厚度小於 0.55 公厘 Flat-rolled products of iron or non-alloy steel, painted, vanished
		or coated with plastics, based on hot-dipped with

		zinc-aluminium-magnesium alloys, in coils, of a thickness less than 0.55 mm			
13	7210.70.90.58-9	以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或 非合金鋼扁軋製品,捲盤狀,厚度 0.55 公厘及以上 Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on hot-dipped with			
		zinc-aluminium-magnesium alloys, in coils, of a thickness of			
		0.55 mm or more			
		以熱浸鍍鋅鋁鎂合金為底材之塗漆、清漆或被覆塑膠之鐵或			
14	7210.70.90.73-0	非合金鋼扁軋製品,非捲盤狀			
		Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on hot-dipped with			
		zinc-aluminium-magnesium alloys, not in coils			
		其他以熱浸鍍鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或			
15	7210.70.90.59-8	非合金鋼扁軋製品,捲盤狀			
		Other flat-rolled products of iron or non-alloy steel, painted,			
		vanished or coated with plastics, based on hot-dipped with zinc			
		alloys, in coils			
16	7210.70.90.21-3	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非			
16	/210./0.90.21-3	合金鋼扁軋製品,捲盤狀,厚度小於 0.25 公厘			
		Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on hot-dipped with			
		aluminium-zinc alloys, in coils, of a thickness less than 0.25 mm			
17	7210.70.90.22-2	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非			
1 /	7210.70.90.22-2	合金鋼扁軋製品,捲盤狀,厚度 0.25 公厘及以上但小於 0.55 、_			
		公厘			
		Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on hot-dipped with			
		aluminium-zinc alloys, in coils, of a thickness of 0.25 mm or			
		more but less than 0.55 mm			
18	7210.70.90.23-1	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非			
		合金鋼扁軋製品,捲盤狀,厚度 0.55 公厘及以上			
		Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on hot-dipped with			

		aluminium-zinc alloys, in coils, of a thickness of 0.55 mm or more			
19	7210.70.90.74-9	以熱浸鍍鋁鋅合金為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,非捲盤狀			
		Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on hot-dipped with			
		aluminium-zinc alloys, not in coils			
20	7210.70.90.31-1	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠			
20	7210.70.90.31 1	之鐵或非合金鋼扁軋製品,捲盤狀,厚度小於 0.25 公厘			
		Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on electrolytically plated or coated			
		with zinc or zinc-alloy, in coils, of a thickness less than 0.25 mm			
21	7210.70.90.32-0	以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠			
21	7210.70.90.32-0	之鐵或非合金鋼扁軋製品,捲盤狀,厚度 0.25 公厘及以上但			
		小於 0.55 公厘			
		Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on electrolytically plated or coated			
		with zinc or zinc-alloy, in coils, of a thickness of 0.25 mm or			
		more but less than 0.55 mm			
		以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠			
22	7210.70.90.33-9	之鐵或非合金鋼扁軋製品,捲盤狀,厚度 0.55 公厘及以上			
		Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on electrolytically plated or coated			
		with zinc or zinc-alloy, in coils, of a thickness of 0.55 mm or			
		more			
		以電解法鍍或塗鋅或鋅合金為底材之塗漆、清漆或被覆塑膠			
23	7210.70.90.75-8	之鐵或非合金鋼扁軋製品,非捲盤狀			
		Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on electrolytically plated or coated			
		with zinc or zinc-alloy, not in coils			
		以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋			
24	7210.70.90.41-9	製品,捲盤狀,厚度小於 0.25 公厘			
		Flat-rolled products of iron or non-alloy steel, painted, vanished			
		or coated with plastics, based on cold-rolled, in coils, of a			

		thickness less than 0.25 mm				
25	7210.70.90.42-8	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋 製品,捲盤狀,厚度 0.25 公厘及以上但小於 0.55 公厘				
		Flat-rolled products of iron or non-alloy steel, painted, vanished				
		or coated with plastics, based on cold-rolled, in coils, of a				
		thickness of 0.25 mm or more but less than 0.55 mm				
		以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋				
26	7210.70.90.43-7	製品,捲盤狀,厚度 0.55 公厘及以上				
		Flat-rolled products of iron or non-alloy steel, painted, vanished				
		or coated with plastics, based on cold-rolled, in coils, of a				
		thickness of 0.55 mm or more				
27	7210 70 00 76 7	以冷軋為底材之塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋				
27	7210.70.90.76-7	製品,非捲盤狀				
		Flat-rolled products of iron or non-alloy steel, painted, vanished				
		or coated with plastics, based on cold-rolled, not in coils				
20	7210.70.90.79-4	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,非捲				
28		盤狀				
		Other flat-rolled products of iron or non-alloy steel, painted,				
		vanished or coated with plastics, not in coils				
29	7210 70 00 01 9	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤				
29	7210.70.90.91-8	狀,厚度小於 0.25 公厘				
		Other flat-rolled products of iron or non-alloy steel, painted,				
		vanished or coated with plastics, in coils, of a thickness less than				
		0.25 mm				
30	7210 70 90 92-7	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤				
		狀,厚度 0.25 公厘及以上但小於 0.55 公厘				
		Other flat-rolled products of iron or non-alloy steel, painted,				
		vanished or coated with plastics, in coils, of a thickness of 0.25				
		mm or more but less than 0.55 mm				
31	7210.70 90 93-6	其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,捲盤				
	, 210.70.70.75	狀,厚度 0.55 公厘及以上				
		Other flat-rolled products of iron or non-alloy steel, painted,				
		vanished or coated with plastics, in coils, of a thickness of 0.55				

		mm or more
32	7212.40.10.00-0	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特性,以頻率 50 赫芝最大磁通密度 105 韋伯/平方公尺時鐵心
		損失在 6.5 瓦特/公斤及以上者
		Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at
		frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the iron loss 6.5 W/kg or more
22	7212 40 20 00 0	塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特
33	7212.40.20.00-8	性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心
		損失在5瓦特/公斤及以上但未達6.5瓦特/公斤者
		Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at
		frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the
		iron loss 5 W/kg or more but less than 6.5 W/kg
		塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品,具電氣特
34	7212.40.30.00-6	性,以頻率 50 赫芝最大磁通密度 1.5 韋伯/平方公尺時鐵心
		損失低於5瓦特/公斤者
		Flat-rolled products of iron or non-alloy steel, painted, varnished
		or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m2, the
		iron loss less than 5W/kg
		其他塗漆、清漆或被覆塑膠之鐵或非合金鋼扁軋製品
35	7212.40.90.00-3	Other flat-rolled products of iron or non-alloy steel, painted,
		varnished or coated with plastics
36	7225.99.10.00-5	其他合金鋼之扁軋製品,寬度 600 公厘及以上,經鍍面、塗
	EX	面或護面者,高速鋼除外 Flat-rolled products of other alloy steel, plated, coated or clad, of
		a width of 600 mm or more, excluding high speed steel
		其他合金鋼扁軋製品,寬度小於600公厘者
37	7226.99.90.00-7	Flat-rolled products of other alloy steel, of a width of less than
		600 mm

出口人。	名稱及地址 Exporter's	Name and Address	證號 Certificate No.	
進口人名稱及地址 Importer's Name and Address		輸往越南彩色鋼板配額證明書 SAFEGUARD QUOTA CERTIFICATE OF Pre-painted Galvanized Steel Sheet and Strip Export to Vietnam (申請書)		
	Fort of Discharge	胡志明市 Ho Chi Minh (裝貨港 Port of Loading	
項次 Item	貨品號列(臺灣)* HS Code (TW)	稅則號別(越南)* HS Code (VN)	貨品描述含名稱、型號、規格 Description of Goods	數量/單位 Quantity/Unit
 申請人 	出口人)切结:The exporter h	nereby declares that:		
1.本證明 The good 2.本證明 □①我國 □②我國 貨品之 The good □③貨品 Subh □④貨品 unde □⑤貨品 not u 3.上述內: This cei	書內所列之貨品原產地為臺灣ods listed in this certificate origi書內所列之貨品符合下列原產 完全取得 The goods are obtain 完全生產 The goods are produ加工製造涉及我國與其他國家ods that use non-originating mate to the product of the pro	nate in Taiwan. 地認定標準:(①~⑤請勾選1項ed completely in Taiwan. 或地區共同參與者,以在我國erials conform to the following ro改變 The non-originating mater 則前6位碼改變,但附加價值 ding, but the Value Added Rate ef 16位碼改變,但符合貿易局公 heading, but the processing oper 有違法情事,願依貿易法第28 ny false statement made in this de	境內產生最終實質轉型者為限: ales: ials used in the production of the goods shall of particular parti	ed in production have not ls used in production have sted in Taiwan.

輸往越南彩色鋼板配額轉讓同意書

	公司	(出讓廠商)	同意轉誌	襄輸往越南
彩色鋼板	噸予		公司	(受讓廠
商)。				
出讓廠商:				
統一編號:				
代表人:				
公司名稱:				
(請加蓋公	司及代表人	印章)		
受讓廠商:				
統一編號:				
代表人:				
公司名稱:				
(請加蓋公	司及代表人	印章)		

中華民國

年

月

中華民國

輸往越南彩色鋼板第3年度第1次配額申請書

公司甲請輸往越南彩色鋼板
第3年度第1次(108年6月15日至109年1月14日)
配額。
申請廠商:
統一編號:
代表人:
公司名稱:
(請加蓋公司及代表人印章)
此致
經濟部國際貿易局

年

月

日

105-107 年彩色鋼板輸往越南 26 家廠商名單(依廠商統一編號排序)

序號	廠商名稱
1	鼎弘金屬科技股份有限公司
2	瑞越企業有限公司
3	福密實業股份有限公司
4	華明鋼鐵股份有限公司
5	台朔重工股份有限公司
6	南駿貿易有限公司
7	苡銓有限公司
8	盟鑫金屬股份有限公司
9	元大興企業有限公司
10	翊聖鋼鐵有限公司
11	益瑞興業有限公司
12	威明企業社
13	意慶發企業有限公司
14	鑫進企業有限公司
15	禾詮鋼鐵有限公司
16	盛德工業股份有限公司
17	大鼎興業股份有限公司
18	燁輝企業股份有限公司
19	伍經企業股份有限公司
20	盛餘股份有限公司
21	昀真工程有限公司
22	凯景實業股份有限公司
23	尚興鋼鐵工業股份有限公司
24	聯琦金屬股份有限公司
25	禾寶實業股份有限公司
26	金耘鋼鐵股份有限公司

Exporter's Name and Address			Certificate No.	
			SAFEGUARD QUOTA CEI	RTIFICATE OF
Import	ter's Name and Addres	s	Pre-painted Galvanized Stee	
			Export to Vietn	am
	Discharge	□ Ho Chi Minh City	Port of Loading	
		Ho Chi Minh City		5 W 77 W
Item	HS Code (TW)	HS Code (VN)	Description of Goods	Quantity/Unit
Remarks			Certifying Authority Representation of Forest Control of Forest C	A I I I I I I I I I I I I I I I I I I I

檔 號: 保存年限:

經濟部 公告

發文日期:中華民國108年05月30日 發文字號:經貿字第10804602260號

附件:如文





主旨:公告修正「限制輸出貨品表」,自中華民國一百零八年六月 十五日起CCC7210.70.10.00-5「塗漆、清漆或被覆塑膠之鐵 或非合金鋼扁軋製品,具電氣特性,以頻率50赫芝最大磁通 密度1.5章伯/平方公尺時鐵心損失在6.5瓦特/公斤及以上 者」等37項臺灣產製之貨品(如附件1)輸往越南,取得本部 國際貿易局(下稱貿易局)核發之輸往越南彩色鋼板配額證明 書者,出口時應主動於出口報單「輸出入許可文件號碼-項 次」欄位填報證明書號碼向海關申報。

依據:貿易法第十一條第二項、貨品輸出管理辦法第五條。

公告事項:

一、越南106年5月31日公告自106年6月15日起對我國旨揭貨品啟動3年關稅配額之防衛措施(不受防衛稅之進口配額量第106年度14,428公噸、107年度15,871公噸、108年度17,458公頓)。我國旨揭貨品倘未以越南海防市及胡志明市2港口為進口港,或未取得貿易局核發之配額證明書,或出口到越南時超過我國獲配之配額,越南進口人報關進口該等貨品時,將適

用配額外防衛稅率19%。

二、為協助廠商因應此項措施、維護貿易秩序及政策需要,本部爰配合越南規定,公告我國出口人出口旨揭貨品,採行限制措施。擬使越南進口人享有配額內防衛稅率(0%)之出口人,應依本公告向貿易局申請年度配額,出口前逐批申請輸往越南彩色鋼板配額證明書(如附件2),並應於出口時主動於出口報單「輸出入許可文件號碼-項次」欄位填報證明書號碼向海關申報。



三、旨揭貨品年度配額規定如下:

- (一)108年度配額期間:108年6月15日起至109年6月14日止。
- (二)108年度配額總量:17,458公噸。

(三)108年度配額分配:

- 1、出進口廠商於105年至107年間具旨揭貨品出口越南實績者(如附件3),得於108年6月10日下午5時前檢附輸往越南彩色鋼板108年度第1次配額申請書(如附件4)送達貿易局申請配額,由該局依實績比例核配,逾時不受理;第1次配額利用期間為108年6月15日起至109年1月14日止。
- 2、獲配廠商得檢附轉讓同意書(如附件5)向貿易局申請配額轉讓。
- 3、獲配廠商109年1月14日止未利用之配額將由貿易局收回並視配額利用情形再辦理第2次配額分配。但獲配廠商如仍須利用已獲配而尚未利用之配額,得於109年1月14日前檢附交易證明文件向該局申請延期利用。

四、輸往越南彩色鋼板配額證明書之申請:

(一)獲配廠商,出口前應逐批向貿易局申請輸往越南彩色鋼板 配額證明書(申請書如附件6)。

- (二)出口人取得證明書後應於1個月內辦理出口。
- (三)出口時應主動於出口報單「輸出入許可文件號碼-項次」欄 位填報證明書號碼向海關申報。
- (四)出口人應將配額證明書送交越南進口人,向進口地海關申報 (四)出口人應將配額證明書送交越南進口人,向進口地海關申



部長池游洋

刊登貿易週刊】、高雄市進出口商業同業公會、花蓮縣進出口商業同業公會、宜 蘭縣進出口商業同業公會、基隆市進出口商業同業公會、新北市進出口商業同業 公會、桃園市進出口商業同業公會、新竹市進出口商業同業公會、新竹縣進出口 商業同業公會、苗栗縣進出口商業同業公會、台中市進出口商業同業公會、台中 縣進出商業同業公會、南投縣進出口商業同業公會、彰化縣進出口商業同業公 會、雲林縣進出口商業同業公會、嘉義市進出口商業同業公會、嘉義縣進出口商 業同業公會、台南市進出口商業同業公會、台南縣進出口商業同業公會、高雄縣 進出口商業同業公會、屏東縣進出口商業同業公會、台東縣進出口商業同業公 會、澎湖縣進出口商業同業公會、中華民國報關商業同業公會全國聯合會、台北 市報關商業同業公會、基隆市報關商業同業公會、花蓮縣報關商業同業公會、宜 蘭縣報關商業同業公會、高雄市報關商業同業公會、台中市報關商業同業公會、 台北市航空貨運承攬商業同業公會、高雄市航空貨運承攬商業同業公會【以上請 轉知各會員】、經濟部國際貿易局(雙邊貿易一組,秘書室(法制),貿易服務組)、 經濟部國際貿易局高雄辦事處

副本: 電2079/05/30文



