

檔 號：
保存年限：

行政院農業委員會 函

地址：100臺北市南海路37號
承辦人：施苡巨
電話：(02)2343-1401
傳真：(02)2332-2200
電子信箱：

受文者：台北市航空貨運承攬商業同業公會

發文日期：中華民國110年1月21日
發文字號：農授防字第1101492912B號
速別：普通件
密等及解密條件或保密期限：
附件：



主旨：本會已於110年1月21日以農授防字第1101492912A號公告預告「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第1點、第10點修正草案，本案公告及附件內容請逕至本會全球資訊網（網址：<https://www.coa.gov.tw>）或動植物防疫檢疫局全球資訊網（網址：<https://www.baphiq.gov.tw>）查閱，請查照。

正本：台北市進出口商業同業公會、高雄市進出口商業同業公會、台灣省進出口商業同業公會聯合會、台北市報關商業同業公會、基隆市報關商業同業公會、基隆市報關商業同業公會、高雄市報關商業同業公會、花蓮縣報關商業同業公會、台中市報關商業同業公會、台北市航空貨運承攬商業同業公會、中華民國常駐世界貿易組織代表團、財政部關務署、財政部關務署基隆關、財政部關務署臺北關、財政部關務署臺中關、財政部關務署高雄關、經濟部國際貿易局、財團法人食品工業發展研究所、經濟部智慧財產局、社團法人台灣種苗改進協會、本會農業試驗所、本會種苗改良繁殖場、本會農糧署、本會桃園區農業改良場、本會苗栗區農業改良場、本會臺中區農業改良場、本會臺南區農業改良場、本會高雄區農業改良場、本會花蓮區農業改良場、本會臺東區農業改良場、本會林業試驗所、本會林務局、本會特有生物研究保育中心、駐臺北韓國代表部、澳洲辦事處、紐西蘭商工辦事處、駐臺北以色列經濟文化辦事處、奈及利亞駐華商務辦事處、南非聯絡辦事處、美國在臺協會臺北辦事處、加拿大駐臺北貿易辦事處、智利商務辦事處、阿根廷商務文化辦事處、墨西哥商務簽證文件暨文化辦事處、荷蘭貿易暨投資辦事處、法國在臺協會、義大利經濟貿易文化推廣辦事處、泰國商務處、日本臺灣交流協會臺北事務所、印度臺北協會、丹麥商務辦事處、德國在臺協會、比利時臺北辦事處、駐臺北土耳其貿易辦事處、波蘭台北辦事處、莫斯科台北經濟



檔 號：
保存年限：

行政院農業委員會 函

地址：100臺北市南海路37號
承辦人：施苡巨
電話：(02)2343-1401
傳真：(02)2332-2200
電子信箱：

受文者：台北市報關商業同業公會

發文日期：中華民國110年1月21日
發文字號：農授防字第1101492912B號
速別：普通件
密等及解密條件或保密期限：
附件：

主旨：本會已於110年1月21日以農授防字第1101492912A號公告預告「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第1點、第10點修正草案，本案公告及附件內容請逕至本會全球資訊網（網址：<https://www.coa.gov.tw>）或動植物防疫檢疫局全球資訊網（網址：<https://www.baphiq.gov.tw>）查閱，請查照。

正本：台北市進出口商業同業公會、高雄市進出口商業同業公會、台灣省進出口商業同業公會聯合會、台北市報關商業同業公會、基隆市報關商業同業公會、基隆市報關商業同業公會、高雄市報關商業同業公會、花蓮縣報關商業同業公會、台中市報關商業同業公會、台北市航空貨運承攬商業同業公會、中華民國常駐世界貿易組織代表團、財政部關務署、財政部關務署基隆關、財政部關務署臺北關、財政部關務署臺中關、財政部關務署高雄關、經濟部國際貿易局、財團法人食品工業發展研究所、經濟部智慧財產局、社團法人台灣種苗改進協會、本會農業試驗所、本會種苗改良繁殖場、本會農糧署、本會桃園區農業改良場、本會苗栗區農業改良場、本會臺中區農業改良場、本會臺南區農業改良場、本會高雄區農業改良場、本會花蓮區農業改良場、本會臺東區農業改良場、本會林業試驗所、本會林務局、本會特有生物研究保育中心、駐臺北韓國代表部、澳洲辦事處、紐西蘭商工辦事處、駐臺北以色列經濟文化辦事處、奈及利亞駐華商務辦事處、南非聯絡辦事處、美國在臺協會臺北辦事處、加拿大駐臺北貿易辦事處、智利商務辦事處、阿根廷商務文化辦事處、墨西哥商務簽證文件暨文化辦事處、荷蘭貿易暨投資辦事處、法國在臺協會、義大利經濟貿易文化推廣辦事處、泰國商務處、日本臺灣交流協會臺北事務所、印度臺北協會、丹麥商務辦事處、德國在臺協會、比利時臺北辦事處、駐臺北土耳其貿易辦事處、波蘭台北辦事處、莫斯科台北經濟

文化協調委員會駐台北代表處、西班牙商務辦事處、奧地利商務代表辦事處、瑞士商務辦事處、英國在臺辦事處、捷克經濟文化辦事處、匈牙利貿易辦事處、瑞典貿易暨投資委員會臺北辦事處、巴西商務辦事處、瓜地馬拉共和國大使館、宏都拉斯共和國大使館、義大利經濟貿易文化推廣辦事處貿易組、芬蘭商務辦事處、史瓦帝尼王國大使館、巴拉圭共和國大使館、汶萊貿易旅遊代表處、駐台北印尼經濟貿易代表處、馬來西亞友誼及貿易中心、馬紹爾群島共和國大使館、緬甸聯邦共和國駐台北貿易辦事處、諾魯共和國大使館、駐台北越南經濟文化辦事處、帛琉共和國大使館、巴布亞紐幾內亞駐臺商務代表處、馬尼拉經濟文化辦事處、吐瓦魯國大使館、約旦商務辦事處、駐台北烏蘭巴托貿易經濟代表處、阿曼王國駐華商務辦事處、沙烏地阿拉伯商務辦事處、歐洲經貿辦事處、教廷大使館、盧森堡台北辦事處、斯洛伐克經濟文化辦事處、貝里斯大使館、海地共和國大使館、尼加拉瓜共和國大使館、秘魯駐臺北商務辦事處、聖克里斯多福及尼維斯大使館、聖露西亞大使館

副本：本會動植物防疫檢疫局、本會動植物防疫檢疫局基隆分局、本會動植物防疫檢疫局新竹分局、本會動植物防疫檢疫局臺中分局、本會動植物防疫檢疫局高雄分局

2021/01/22
10:20:07
電子交換章



裝

訂

線



檔 號：
保存年限：

行政院農業委員會 公告

發文日期：中華民國110年1月21日
發文字號：農授防字第1101492912A號



主旨：預告修正「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第一點、第十點。
依據：行政程序法第一百五十一條第二項準用第一百五十四條第一項。

公告事項：

- 一、修正機關：行政院農業委員會。
- 二、修正依據：植物防疫檢疫法第十四條第一項。
- 三、「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第一點、第十點修正草案如附件。本案另載於本會全球資訊網（網址：<https://www.coa.gov.tw>）及動植物防疫檢疫局全球資訊網（網址：<https://www.baphiq.gov.tw>）。
- 四、對於本公告內容有任何意見或修正建議者，請於本公告刊登公報隔日起60日內陳述意見或洽詢：
 - (一)承辦單位：行政院農業委員會動植物防疫檢疫局
 - (二)地址：10075臺北市和平西路2段100號9樓
 - (三)電話：02-23431401

(四) 傳真：02-23047455

(五) 電子郵件信箱：baphiq@mail.baphiq.gov.tw

主任委員 傅吉仲

裝



訂

線

中華民國輸入植物或植物產品檢疫規定乙、有條件輸入植物或植物產品之檢疫條件第一點、第十點修正草案對照表

修 正 規 定	現 行 規 定	說 明								
<p>乙、有條件輸入植物或植物產品之檢疫條件 依據：植物防疫檢疫法第十四條第一項第二款規定。 一、植物或植物產品之名稱及其部位、國家或地區及其輸入檢疫條件如下表：</p> <table border="1" data-bbox="198 472 1199 1409"> <thead> <tr> <th>植物名稱及其部位</th> <th>國 家 或 地 區</th> <th>病 蟲 害 名 稱</th> <th>檢 疫 條 件</th> </tr> </thead> <tbody> <tr> <td>42.下列種子(食用及飼料用除外)： (1) 番椒屬 (<i>Capsicum</i> spp.) (2) 番茄 (<i>Solanum lycopersicum</i> = <i>Lycopersicon esculentum</i>)</td> <td>亞洲及太平洋地區 (1) 中國大陸 (2) 以色列 (3) 約旦 (4) 巴勒斯坦 (5) 土耳其 歐洲 (6) 賽普勒斯 (7) 捷克 (8) 法國 (9) 德國 (10) 希臘 (11) 義大利 (12) 荷蘭 (13) 西班牙 (14) 英國 北美 (15) 墨西哥 (16) 美國</td> <td>番茄褐皺果病毒 (<i>Tomato brown rugose fruit virus</i> (Tobamovirus))</td> <td>應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明於輸出前經實驗室檢測未罹染番茄褐皺果病毒，否則銷燬或退運。</td> </tr> </tbody> </table>	植物名稱及其部位	國 家 或 地 區	病 蟲 害 名 稱	檢 疫 條 件	42.下列種子(食用及飼料用除外)： (1) 番椒屬 (<i>Capsicum</i> spp.) (2) 番茄 (<i>Solanum lycopersicum</i> = <i>Lycopersicon esculentum</i>)	亞洲及太平洋地區 (1) 中國大陸 (2) 以色列 (3) 約旦 (4) 巴勒斯坦 (5) 土耳其 歐洲 (6) 賽普勒斯 (7) 捷克 (8) 法國 (9) 德國 (10) 希臘 (11) 義大利 (12) 荷蘭 (13) 西班牙 (14) 英國 北美 (15) 墨西哥 (16) 美國	番茄褐皺果病毒 (<i>Tomato brown rugose fruit virus</i> (Tobamovirus))	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明於輸出前經實驗室檢測未罹染番茄褐皺果病毒，否則銷燬或退運。	<p>乙、有條件輸入植物或植物產品之檢疫條件 依據：植物防疫檢疫法第十四條第一項第二款規定。 一、植物或植物產品之名稱及其部位、國家或地區及其輸入檢疫條件如下表：</p>	<p>一、本項新增。 二、依據防檢局植物防疫檢疫諮議委員會檢疫小組第四十五次會議決議，新增番茄褐皺果病毒(<i>Tomato brown rugose fruit virus</i> (Tobamovirus))之檢疫條件，爰增列第四十二項。</p>
植物名稱及其部位	國 家 或 地 區	病 蟲 害 名 稱	檢 疫 條 件							
42.下列種子(食用及飼料用除外)： (1) 番椒屬 (<i>Capsicum</i> spp.) (2) 番茄 (<i>Solanum lycopersicum</i> = <i>Lycopersicon esculentum</i>)	亞洲及太平洋地區 (1) 中國大陸 (2) 以色列 (3) 約旦 (4) 巴勒斯坦 (5) 土耳其 歐洲 (6) 賽普勒斯 (7) 捷克 (8) 法國 (9) 德國 (10) 希臘 (11) 義大利 (12) 荷蘭 (13) 西班牙 (14) 英國 北美 (15) 墨西哥 (16) 美國	番茄褐皺果病毒 (<i>Tomato brown rugose fruit virus</i> (Tobamovirus))	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明於輸出前經實驗室檢測未罹染番茄褐皺果病毒，否則銷燬或退運。							
<p>十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上一分類群(Taxa)有害生物採取檢疫處理措施。</p> <p>病毒類 (474種) <i>Abutilon mosaic virus</i> (AbMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Ageratum yellow vein virus</i> (AYVV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>African cassava mosaic virus</i> (ACMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Agropyron mosaic virus</i> (AgMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) <i>Alfalfa cryptic virus 1</i> (ACV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) <i>Alfalfa enation virus</i> <i>Alfalfa mosaic virus</i> (AIMV) (<i>Bromoviridae</i>, <i>alfamovirus</i>)</p>	<p>十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上一分類群(Taxa)有害生物採取檢疫處理措施。</p> <p>病毒類 (475種) <i>Abutilon mosaic virus</i> (AbMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Ageratum yellow vein virus</i> (AYVV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>African cassava mosaic virus</i> (ACMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Agropyron mosaic virus</i> (AgMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) <i>Alfalfa cryptic virus 1</i> (ACV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) <i>Alfalfa enation virus</i> <i>Alfalfa mosaic virus</i> (AIMV) (<i>Bromoviridae</i>, <i>alfamovirus</i>)</p>	<p>配合番茄褐皺果病毒(<i>Tomato brown rugose fruit virus</i> (Tobamovirus))於第一點訂定檢疫條件，爰自清單刪除。</p>								

<p> <i>Alsike clover vein mosaic virus</i> <i>Alstroemeria mosaic virus</i> (AIMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Amaranthus leaf mottle virus</i> (AmLMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>American plum line pattern virus</i> (APLPV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Andean potato latent virus</i> (APLV) (<i>Tymovirus</i>) <i>Andean potato mottle virus</i> (APMoV) (<i>Comoviridae</i>, <i>Comovirus</i>) <i>Anthoxanthum latent blanching virus</i> (ALBV) (<i>Hordeivirus</i>) <i>Anthriscus yellows virus</i> (AYV) (<i>Sequiviridae</i>, <i>waikavirus</i>) <i>Apple chat fruit disease</i> <i>Apple chlorotic leaf spot virus</i> (ACLSV) (<i>Trichovirus</i>, <i>Flexiviridae</i>) <i>Apple dimple fruit viroid</i> (ADFVd) (<i>Apscaviroid</i>, <i>Pospiviroidae</i>) <i>Apple mosaic virus</i> (ApMV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Apple scar skin viroid</i> (ASSVd) (<i>Pospiviroidae</i>, <i>Apscaviroid</i>) <i>Apple stem grooving virus</i> (ASGV) (<i>Capillovirus</i>, <i>Flexiviridae</i>) <i>Apple stem pitting virus</i> (ASPV) (<i>Foveavirus</i>, <i>Flexiviridae</i>) <i>Araujia mosaic virus</i> (ArjMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Arracacha Virus A</i> (AVA) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Arracacha Virus B</i> (AVB) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Arracacha Virus Y</i> (AVY) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Artichoke Italian latent virus</i> (AILV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Artichoke latent virus</i> (ArLV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Artichoke mottled crinkle virus</i> (AMCV) (<i>Tombusviridae</i>, <i>Tombusvirus</i>) <i>Artichoke yellow ringspot virus</i> (AYRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Asparagus virus 1</i> (AV-1) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Asparagus virus 2</i> (AV-2) (<i>Bromoviridae</i>, <i>ilarvirus</i>) <i>Asparagus virus 3</i> (AV-3) (<i>Potexvirus</i>) <i>Banana bunchy top virus</i> (BBTV) (<i>Nanovirus</i>) <i>Barley mild mosaic virus</i> (BaMMV) (<i>Potyviridae</i>, <i>bymovirus</i>) <i>Barley mosaic virus</i> (BBV) <i>Barley yellow dwarf virus-GPV</i> (BYDV-GPV) (<i>Luteovirus</i>) <i>Barley yellow mosaic virus</i> (BaYMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) <i>Barley yellow striate mosaic virus</i> (BYSMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>) <i>Bean calico mosaic virus</i> (BCaMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Bean common mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Bean golden mosaic virus</i> (BGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Bean leaf roll virus</i> (BLRV) (<i>Luteoviridae</i>, <i>luteovirus</i>) <i>Bean mild mosaic virus</i> (BMMV) (<i>Tombusviridae</i>, <i>carmovirus</i>) <i>Bean pod mottle virus</i> (BPMV) (<i>Comoviridae</i>, <i>comovirus</i>) <i>Bean rugose mosaic virus</i> (BRMV) (<i>Comoviridae</i>, <i>comovirus</i>) <i>Bean southern mosaic virus</i> (SBMV) (<i>sobemovirus</i>) <i>Bean yellow vein banding virus</i> (BYVBV) (<i>Umbravirus</i>) <i>Beet distortion mosaic virus</i> <i>Beet mild yellowing virus</i> (BMYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) <i>Beet mosaic virus</i> (BtMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Beet soil-borne virus</i> (BSBV) (<i>Pomovirus</i>) <i>Beet western yellows virus</i> (BWYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) <i>Beet yellows virus</i> (BYV) (<i>Closteroviridae</i>, <i>closterovirus</i>) <i>Beet yellow stunt virus</i> (BYSV) (<i>Closteroviridae</i>, <i>closterovirus</i>) <i>Beet curly top virus</i> (BCTV) (<i>Geminiviridae</i>, <i>Curtomovirus</i>) </p>	<p> <i>Alsike clover vein mosaic virus</i> <i>Alstroemeria mosaic virus</i> (AIMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Amaranthus leaf mottle virus</i> (AmLMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>American plum line pattern virus</i> (APLPV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Andean potato latent virus</i> (APLV) (<i>Tymovirus</i>) <i>Andean potato mottle virus</i> (APMoV) (<i>Comoviridae</i>, <i>Comovirus</i>) <i>Anthoxanthum latent blanching virus</i> (ALBV) (<i>Hordeivirus</i>) <i>Anthriscus yellows virus</i> (AYV) (<i>Sequiviridae</i>, <i>waikavirus</i>) <i>Apple chat fruit disease</i> <i>Apple chlorotic leaf spot virus</i> (ACLSV) (<i>Trichovirus</i>, <i>Flexiviridae</i>) <i>Apple dimple fruit viroid</i> (ADFVd) (<i>Apscaviroid</i>, <i>Pospiviroidae</i>) <i>Apple mosaic virus</i> (ApMV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Apple scar skin viroid</i> (ASSVd) (<i>Pospiviroidae</i>, <i>Apscaviroid</i>) <i>Apple stem grooving virus</i> (ASGV) (<i>Capillovirus</i>, <i>Flexiviridae</i>) <i>Apple stem pitting virus</i> (ASPV) (<i>Foveavirus</i>, <i>Flexiviridae</i>) <i>Araujia mosaic virus</i> (ArjMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Arracacha Virus A</i> (AVA) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Arracacha Virus B</i> (AVB) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Arracacha Virus Y</i> (AVY) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Artichoke Italian latent virus</i> (AILV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Artichoke latent virus</i> (ArLV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Artichoke mottled crinkle virus</i> (AMCV) (<i>Tombusviridae</i>, <i>Tombusvirus</i>) <i>Artichoke yellow ringspot virus</i> (AYRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Asparagus virus 1</i> (AV-1) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Asparagus virus 2</i> (AV-2) (<i>Bromoviridae</i>, <i>ilarvirus</i>) <i>Asparagus virus 3</i> (AV-3) (<i>Potexvirus</i>) <i>Banana bunchy top virus</i> (BBTV) (<i>Nanovirus</i>) <i>Barley mild mosaic virus</i> (BaMMV) (<i>Potyviridae</i>, <i>bymovirus</i>) <i>Barley mosaic virus</i> (BBV) <i>Barley yellow dwarf virus-GPV</i> (BYDV-GPV) (<i>Luteovirus</i>) <i>Barley yellow mosaic virus</i> (BaYMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) <i>Barley yellow striate mosaic virus</i> (BYSMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>) <i>Bean calico mosaic virus</i> (BCaMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Bean common mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Bean golden mosaic virus</i> (BGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Bean leaf roll virus</i> (BLRV) (<i>Luteoviridae</i>, <i>luteovirus</i>) <i>Bean mild mosaic virus</i> (BMMV) (<i>Tombusviridae</i>, <i>carmovirus</i>) <i>Bean pod mottle virus</i> (BPMV) (<i>Comoviridae</i>, <i>comovirus</i>) <i>Bean rugose mosaic virus</i> (BRMV) (<i>Comoviridae</i>, <i>comovirus</i>) <i>Bean southern mosaic virus</i> (SBMV) (<i>sobemovirus</i>) <i>Bean yellow vein banding virus</i> (BYVBV) (<i>Umbravirus</i>) <i>Beet distortion mosaic virus</i> <i>Beet mild yellowing virus</i> (BMYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) <i>Beet mosaic virus</i> (BtMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Beet soil-borne virus</i> (BSBV) (<i>Pomovirus</i>) <i>Beet western yellows virus</i> (BWYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) <i>Beet yellows virus</i> (BYV) (<i>Closteroviridae</i>, <i>closterovirus</i>) <i>Beet yellow stunt virus</i> (BYSV) (<i>Closteroviridae</i>, <i>closterovirus</i>) <i>Beet curly top virus</i> (BCTV) (<i>Geminiviridae</i>, <i>Curtomovirus</i>) </p>	
--	--	--

<p> <i>Beet leaf curl virus (BLCV) (Rhabdoviridae)</i> <i>Beet necrotic yellow vein virus (BNYVV) (Benyvirus)</i> <i>Belladonna mottle virus (BeMV) (Tymovirus)</i> <i>Bermuda grass etched-line virus (BELV) (Marafivirus)</i> <i>Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)</i> <i>Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)</i> <i>Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)</i> <i>Black raspberry latent ilarvirus</i> <i>Black raspberry necrosis virus (BRNV)</i> <i>Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)</i> <i>Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)</i> <i>Blueberry necrotic shock virus (BIShV) (ilarvirus)</i> <i>Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)</i> <i>Blueberry scorch virus (BBScV) (carlavirus)</i> <i>Blueberry shoestring virus (BSSV) (sobemovirus)</i> <i>Broad bean B virus</i> <i>Broad bean necrosis virus (BBNV) (Pomovirus)</i> <i>Broad bean severe chlorosis virus (Closteroviridae, closterovirus)</i> <i>Broad bean stain virus (BBSV) (Comoviridae, comovirus)</i> <i>Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)</i> <i>Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)</i> <i>Broad bean yellow ringspot virus</i> <i>Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)</i> <i>Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)</i> <i>Brome mosaic virus (BMV) (Bromoviridae, bromovirus)</i> <i>Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)</i> <i>Burdock mosaic virus</i> <i>Burdock mottle virus</i> <i>Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)</i> <i>Cacao necrosis virus (CNV) (Comoviridae, nepovirus)</i> <i>Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)</i> <i>Cacao yellow mosaic virus (CYMV) (Tymovirus)</i> <i>Cactus virus (CV-2) (Carlavirus)</i> <i>Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)</i> <i>Caper latent virus (CapLV) (Carlavirus)</i> <i>Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)</i> <i>Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)</i> <i>Carnation cryptic virus I (CCV-1) (Partitiviridae, alphacryptovirus)</i> <i>Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)</i> <i>Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)</i> <i>Carnation latent virus (CLV) (Carlavirus)</i> <i>Carnation mottle virus (CarMV) (Carmovirus)</i> <i>Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)</i> <i>Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)</i> <i>Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)</i> <i>Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Carrot mottle mimic virus (CmoMV) (Umbravirus)</i> <i>Carrot mottle virus (CMoV) (Umbravirus)</i> <i>Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)</i> </p>	<p> <i>Beet leaf curl virus (BLCV) (Rhabdoviridae)</i> <i>Beet necrotic yellow vein virus (BNYVV) (Benyvirus)</i> <i>Belladonna mottle virus (BeMV) (Tymovirus)</i> <i>Bermuda grass etched-line virus (BELV) (Marafivirus)</i> <i>Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)</i> <i>Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)</i> <i>Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)</i> <i>Black raspberry latent ilarvirus</i> <i>Black raspberry necrosis virus (BRNV)</i> <i>Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)</i> <i>Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)</i> <i>Blueberry necrotic shock virus (BIShV) (ilarvirus)</i> <i>Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)</i> <i>Blueberry scorch virus (BBScV) (carlavirus)</i> <i>Blueberry shoestring virus (BSSV) (sobemovirus)</i> <i>Broad bean B virus</i> <i>Broad bean necrosis virus (BBNV) (Pomovirus)</i> <i>Broad bean severe chlorosis virus (Closteroviridae, closterovirus)</i> <i>Broad bean stain virus (BBSV) (Comoviridae, comovirus)</i> <i>Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)</i> <i>Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)</i> <i>Broad bean yellow ringspot virus</i> <i>Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)</i> <i>Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)</i> <i>Brome mosaic virus (BMV) (Bromoviridae, bromovirus)</i> <i>Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)</i> <i>Burdock mosaic virus</i> <i>Burdock mottle virus</i> <i>Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)</i> <i>Cacao necrosis virus (CNV) (Comoviridae, nepovirus)</i> <i>Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)</i> <i>Cacao yellow mosaic virus (CYMV) (Tymovirus)</i> <i>Cactus virus (CV-2) (Carlavirus)</i> <i>Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)</i> <i>Caper latent virus (CapLV) (Carlavirus)</i> <i>Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)</i> <i>Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)</i> <i>Carnation cryptic virus I (CCV-1) (Partitiviridae, alphacryptovirus)</i> <i>Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)</i> <i>Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)</i> <i>Carnation latent virus (CLV) (Carlavirus)</i> <i>Carnation mottle virus (CarMV) (Carmovirus)</i> <i>Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)</i> <i>Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)</i> <i>Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)</i> <i>Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Carrot mottle mimic virus (CmoMV) (Umbravirus)</i> <i>Carrot mottle virus (CMoV) (Umbravirus)</i> <i>Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)</i> </p>	
--	--	--

<p>Carrot temperate virus 1 (CteV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) Carrot temperate virus 2 (CteV-2) (<i>Partitiviridae</i>, <i>betacryptovirus</i>) Carrot temperate virus 3 (CteV-3) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) Carrot temperate virus 4 (CteV-4) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) Carrot thin leaf virus (CTLV) (<i>Potyviridae</i>, <i>potyvirus</i>) Cowpea chlorotic mottle virus (CCMV) (<i>Bromoviridae</i>, <i>Bromovirus</i>) Cowpea golden mosaic virus (CPGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Cowpea green vein-banding virus (CGVBV) (<i>Potyviridae</i>, <i>Potyvirus</i>) Cowpea mosaic virus (CPMV) (<i>Comoviridae</i>, <i>Comovirus</i>) Cowpea rugose mosaic virus (CPRMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) Cowpea severe mosaic virus (CPSMV) (<i>Comoviridae</i>, <i>Comovirus</i>) Cowpea stunt virus (<i>Luteovirus</i>) Cassava African mosaic virus (ACMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) Cassava green mottle virus (CaGMV) (<i>Comoviridae</i>, <i>nepovirus</i>) Cassava Indian mosaic virus (ICMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) Cassava Ivorian bacilliform virus (CsIBV) (<i>Ourmiavirus</i>) Cassava virus X (CsVX) (<i>Potexvirus</i>) Cassia mosaic virus Cassia ringspot virus Cassia yellow blotch virus (CYBV) (<i>Bromoviridae</i>, <i>bromovirus</i>) Cassia yellow spot virus (CasYSV) (<i>Potyviridae</i>, <i>potyvirus</i>) Cauliflower mosaic virus (CaMV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>) Celery mosaic virus (CeMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Cereal northern mosaic virus (NCMV) (<i>cytorhabdovirus</i>) Cassava brown streak virus (CsBSV) (<i>Potyviridae</i>, <i>Ipomovirus</i>) Cassava common mosaic virus (CsCMV) (<i>Potexvirus</i>) Cereal chlorotic mosaic virus (CCMoV) (<i>Rhabdoviridae</i>) Cherry green ring mottle virus (CGRMV) (<i>Foveavirus</i>) Cherry leaf roll virus (CLRV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Cherry mottle leaf virus (CMLV) (<i>Trichovirus</i>) Cherry rasp leaf virus (CRLV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Cherry virus A (CVA) (<i>Capillovirus</i>) Chickpea bushy dwarf virus (CpBDV) (<i>Potyviridae</i>, <i>potyvirus</i>) Chickpea distortion mosaic virus (<i>Potyviridae</i>, <i>potyvirus</i>) Chicory virus (ChVX) (<i>potexvirus</i>) Chicory yellow mottle virus (ChYMV) (<i>Comoviridae</i>, <i>nepovirus</i>) Chino del tomate virus (CdTV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) Chloris striate mosaic virus (CSMV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>) Chrysanthemum virus B (CVB) (<i>Carlavirus</i>) Citrus blight disease Citrus leprosis virus (CiLV) (<i>Rhabdoviridae</i>) Citrus yellow mosaic virus (CiYMV) (<i>Caulimoviridae</i>, <i>Badnavirus</i>) Citrus leaf rugose virus (CiLRV) (<i>Rhabdoviridae</i>, <i>ilarvirus</i>) Citrus ringspot virus Citrus sudden death-associated virus (CSD- associated virus) (<i>Marafivirus</i>, <i>Tymoviridae</i>) Citrus variegation virus (CVV) (<i>Bromoviridae</i>, <i>ilarvirus</i>) Clitoria yellow vein virus (CYVV) (<i>Tymovirus</i>) Clover mild mosaic virus</p>	<p>Carrot temperate virus 1 (CteV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) Carrot temperate virus 2 (CteV-2) (<i>Partitiviridae</i>, <i>betacryptovirus</i>) Carrot temperate virus 3 (CteV-3) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) Carrot temperate virus 4 (CteV-4) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) Carrot thin leaf virus (CTLV) (<i>Potyviridae</i>, <i>potyvirus</i>) Cowpea chlorotic mottle virus (CCMV) (<i>Bromoviridae</i>, <i>Bromovirus</i>) Cowpea golden mosaic virus (CPGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Cowpea green vein-banding virus (CGVBV) (<i>Potyviridae</i>, <i>Potyvirus</i>) Cowpea mosaic virus (CPMV) (<i>Comoviridae</i>, <i>Comovirus</i>) Cowpea rugose mosaic virus (CPRMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) Cowpea severe mosaic virus (CPSMV) (<i>Comoviridae</i>, <i>Comovirus</i>) Cowpea stunt virus (<i>Luteovirus</i>) Cassava African mosaic virus (ACMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) Cassava green mottle virus (CaGMV) (<i>Comoviridae</i>, <i>nepovirus</i>) Cassava Indian mosaic virus (ICMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) Cassava Ivorian bacilliform virus (CsIBV) (<i>Ourmiavirus</i>) Cassava virus X (CsVX) (<i>Potexvirus</i>) Cassia mosaic virus Cassia ringspot virus Cassia yellow blotch virus (CYBV) (<i>Bromoviridae</i>, <i>bromovirus</i>) Cassia yellow spot virus (CasYSV) (<i>Potyviridae</i>, <i>potyvirus</i>) Cauliflower mosaic virus (CaMV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>) Celery mosaic virus (CeMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Cereal northern mosaic virus (NCMV) (<i>cytorhabdovirus</i>) Cassava brown streak virus (CsBSV) (<i>Potyviridae</i>, <i>Ipomovirus</i>) Cassava common mosaic virus (CsCMV) (<i>Potexvirus</i>) Cereal chlorotic mosaic virus (CCMoV) (<i>Rhabdoviridae</i>) Cherry green ring mottle virus (CGRMV) (<i>Foveavirus</i>) Cherry leaf roll virus (CLRV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Cherry mottle leaf virus (CMLV) (<i>Trichovirus</i>) Cherry rasp leaf virus (CRLV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Cherry virus A (CVA) (<i>Capillovirus</i>) Chickpea bushy dwarf virus (CpBDV) (<i>Potyviridae</i>, <i>potyvirus</i>) Chickpea distortion mosaic virus (<i>Potyviridae</i>, <i>potyvirus</i>) Chicory virus (ChVX) (<i>potexvirus</i>) Chicory yellow mottle virus (ChYMV) (<i>Comoviridae</i>, <i>nepovirus</i>) Chino del tomate virus (CdTV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) Chloris striate mosaic virus (CSMV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>) Chrysanthemum virus B (CVB) (<i>Carlavirus</i>) Citrus blight disease Citrus leprosis virus (CiLV) (<i>Rhabdoviridae</i>) Citrus yellow mosaic virus (CiYMV) (<i>Caulimoviridae</i>, <i>Badnavirus</i>) Citrus leaf rugose virus (CiLRV) (<i>Rhabdoviridae</i>, <i>ilarvirus</i>) Citrus ringspot virus Citrus sudden death-associated virus (CSD- associated virus) (<i>Marafivirus</i>, <i>Tymoviridae</i>) Citrus variegation virus (CVV) (<i>Bromoviridae</i>, <i>ilarvirus</i>) Clitoria yellow vein virus (CYVV) (<i>Tymovirus</i>) Clover mild mosaic virus</p>	
--	--	--

<p> <i>Clover wound tumor virus (WTV) (Phytoreovirus)</i> <i>Clover yellow mosaic virus (CIYMV) (potexvirus)</i> <i>Clover yellows virus (CYV) (Closteroviridae, closterovirus)</i> <i>Clover yellow vein virus (CIYVV) (Potyviridae, potyvirus)</i> <i>Cocksfoot mottle virus (CoMV) (Sobemovirus)</i> <i>Coconut foliar decay virus (CFDV) (Nanavirus)</i> <i>Commelina diffusa virus (Potyviridae, potyvirus)</i> <i>Commelina mosaic virus (ComMV) (Potyviridae, potyvirus)</i> <i>Commelina virus X (ComVX) (potexvirus)</i> <i>Commelina yellow mottle virus (ComYMV) (Caulimoviridae, badnavirus)</i> <i>Columnea latent viroid (CLVd) (Pospiviroidae, Pospiviroid)</i> <i>Cocksfoot mild mosaic virus (CoMV) (Sobemovirus)</i> <i>Cocoa mottle leaf virus</i> <i>Cocoa necrosis virus (CoNV) (Comoviridae, Nepovirus)</i> <i>Cocoa swollen shoot virus (CSSV) (Caulimoviridae, Badnavirus)</i> <i>Cocoa yellow mosaic virus</i> <i>Colombian datura virus (CDV) (Potyviridae, Potyvirus)</i> <i>Coriander feathery red vein virus (CFRVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Cotton leaf curl virus (CLCuV) (Geminiviridae, Begomovirus)</i> <i>Cotton leaf crumple virus (CLCrV) (Geminiviridae, bigeminivirus)</i> <i>Cowpea mild mottle virus (CPMMV) (Carlavirus)</i> <i>Crimson clover latent virus (CCLV) (Comoviridae, nepovirus)</i> <i>Crinum mosaic virus (CriMV) (Potyviridae, potyvirus)</i> <i>Croton yellow vein mosaic virus (CYVMV) (Geminiviridae, bigeminivirus)</i> <i>Cucumber green mottle mosaic virus (CGMMV) (Tobamovirus)</i> <i>Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)</i> <i>Cucumber mosaic virus subgroup II (CMV-II)(Bromoviridae, Cucumovirus)</i> <i>Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)</i> <i>Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)</i> <i>Cucumber vein yellowing virus (CVYV)</i> <i>Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)</i> <i>Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)</i> <i>Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)</i> <i>Cynodon chlorotic streak virus</i> <i>Cynosurus mottle virus (CnMoV) (Sobemovirus)</i> <i>Dahlia mosaic virus (DMV) (Caulimoviridae, caulimovirus)</i> <i>Dandelion latent virus (DaLV) (Carlavirus)</i> <i>Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)</i> <i>Daphne virus X (DVX) (Potexvirus)</i> <i>Daphne virus Y (DVY) (Potyviridae, potyvirus)</i> <i>Datura Colombian virus (CDV) (Potyviridae, potyvirus)</i> <i>Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)</i> <i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i> <i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i> <i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Datura distortion virus</i> <i>Datura enation mosaic virus</i> <i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i> <i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i> </p>	<p> <i>Clover wound tumor virus (WTV) (Phytoreovirus)</i> <i>Clover yellow mosaic virus (CIYMV) (potexvirus)</i> <i>Clover yellows virus (CYV) (Closteroviridae, closterovirus)</i> <i>Clover yellow vein virus (CIYVV) (Potyviridae, potyvirus)</i> <i>Cocksfoot mottle virus (CoMV) (Sobemovirus)</i> <i>Coconut foliar decay virus (CFDV) (Nanavirus)</i> <i>Commelina diffusa virus (Potyviridae, potyvirus)</i> <i>Commelina mosaic virus (ComMV) (Potyviridae, potyvirus)</i> <i>Commelina virus X (ComVX) (potexvirus)</i> <i>Commelina yellow mottle virus (ComYMV) (Caulimoviridae, badnavirus)</i> <i>Columnea latent viroid (CLVd) (Pospiviroidae, Pospiviroid)</i> <i>Cocksfoot mild mosaic virus (CoMV) (Sobemovirus)</i> <i>Cocoa mottle leaf virus</i> <i>Cocoa necrosis virus (CoNV) (Comoviridae, Nepovirus)</i> <i>Cocoa swollen shoot virus (CSSV) (Caulimoviridae, Badnavirus)</i> <i>Cocoa yellow mosaic virus</i> <i>Colombian datura virus (CDV) (Potyviridae, Potyvirus)</i> <i>Coriander feathery red vein virus (CFRVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Cotton leaf curl virus (CLCuV) (Geminiviridae, Begomovirus)</i> <i>Cotton leaf crumple virus (CLCrV) (Geminiviridae, bigeminivirus)</i> <i>Cowpea mild mottle virus (CPMMV) (Carlavirus)</i> <i>Crimson clover latent virus (CCLV) (Comoviridae, nepovirus)</i> <i>Crinum mosaic virus (CriMV) (Potyviridae, potyvirus)</i> <i>Croton yellow vein mosaic virus (CYVMV) (Geminiviridae, bigeminivirus)</i> <i>Cucumber green mottle mosaic virus (CGMMV) (Tobamovirus)</i> <i>Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)</i> <i>Cucumber mosaic virus subgroup II (CMV-II)(Bromoviridae, Cucumovirus)</i> <i>Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)</i> <i>Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)</i> <i>Cucumber vein yellowing virus (CVYV)</i> <i>Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)</i> <i>Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)</i> <i>Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)</i> <i>Cynodon chlorotic streak virus</i> <i>Cynosurus mottle virus (CnMoV) (Sobemovirus)</i> <i>Dahlia mosaic virus (DMV) (Caulimoviridae, caulimovirus)</i> <i>Dandelion latent virus (DaLV) (Carlavirus)</i> <i>Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)</i> <i>Daphne virus X (DVX) (Potexvirus)</i> <i>Daphne virus Y (DVY) (Potyviridae, potyvirus)</i> <i>Datura Colombian virus (CDV) (Potyviridae, potyvirus)</i> <i>Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)</i> <i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i> <i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i> <i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Datura distortion virus</i> <i>Datura enation mosaic virus</i> <i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i> <i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i> </p>	
--	--	--

<p><i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i> <i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i> <i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i> <i>Dioscorea alata virus (Potyviridae, potyvirus)</i> <i>Dioscorea bacilliform virus (DBV) (Caulimoviridae, badnavirus)</i> <i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i> <i>Dodonaea yellows-associated virus</i> <i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae, bigeminivirus)</i> <i>Dulcamara mottle virus (DuMV) (Tymovirus)</i> <i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i> <i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Elderberry virus (EV) (Carlavirus 1)</i> <i>Epirus cherry virus (EpCV) (Ourmiavirus)</i> <i>Erysimum latent virus (ErLV) (Tymovirus)</i> <i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i> <i>Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)</i> <i>European wheat striate mosaic virus (EWSMV) (Tenuivirus)</i> <i>Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)</i> <i>Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)</i> <i>Faba bean necrotic yellows virus (FBNYV) (Nanovirus)</i> <i>Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)</i> <i>Fig virus S (FVS) (Carlavirus)</i> <i>Figwort mosaic virus (FMV) (Caulimoviridae, caulimovirus)</i> <i>Foxtail mosaic virus (FoMV) (Potexvirus)</i> <i>Frangipani mosaic virus (FrMV) (Tobamovirus)</i> <i>French bean mosaic virus</i> <i>Freesia leaf necrosis virus (FLNV) (Varicosavirus)</i> <i>Freesia mosaic virus (FreMV) (Potyviridae, Potyvirus)</i> <i>Galinsoga mosaic virus (GaMV) (Tombusviridae, carmovirus)</i> <i>Glycine mosaic virus (GMV) (Comoviridae, Comovirus)</i> <i>Grapevine Algerian latent virus (GALV) (Tombusviridae, Tombusvirus)</i> <i>Grapevine asteroid mosaic virus</i> <i>Grapevine berry inner necrosis virus (GINV) (Trichovirus)</i> <i>Grapevine Bulgarian latent virus (GBLV) (Comoviridae, Nepovirus)</i> <i>Grapevine chrome mosaic virus (GCMV) (Comoviridae, Nepovirus)</i> <i>Grapevine leafroll-associated virus 1 (GLRAV-1)(Closteroviridae, Ampelovirus)</i> <i>Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)</i> <i>Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)</i> <i>Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)</i> <i>Grapevine fleck virus (GFkV)</i> <i>Grapevine stunt virus</i> <i>Grapevine vein necrosis virus</i> <i>Grapevine virus A (GVA) (Betaflexiviridae, Vitivirus)</i> <i>Grapevine virus B (GVB) (Vitivirus, Flexiviridae)</i> <i>Grapevine yellow speckle viroid (GYSVd) (Pospiviroidae, Apscaviroid)</i> <i>Groundnut chlorotic leaf streak virus</i> <i>Groundnut chlorotic spotting virus</i> <i>Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)</i> <i>Groundnut rosette virus (GRV) (Umbravirus)</i></p>	<p><i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i> <i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i> <i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i> <i>Dioscorea alata virus (Potyviridae, potyvirus)</i> <i>Dioscorea bacilliform virus (DBV) (Caulimoviridae, badnavirus)</i> <i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i> <i>Dodonaea yellows-associated virus</i> <i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae, bigeminivirus)</i> <i>Dulcamara mottle virus (DuMV) (Tymovirus)</i> <i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i> <i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Elderberry virus (EV) (Carlavirus 1)</i> <i>Epirus cherry virus (EpCV) (Ourmiavirus)</i> <i>Erysimum latent virus (ErLV) (Tymovirus)</i> <i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i> <i>Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)</i> <i>European wheat striate mosaic virus (EWSMV) (Tenuivirus)</i> <i>Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)</i> <i>Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)</i> <i>Faba bean necrotic yellows virus (FBNYV) (Nanovirus)</i> <i>Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)</i> <i>Fig virus S (FVS) (Carlavirus)</i> <i>Figwort mosaic virus (FMV) (Caulimoviridae, caulimovirus)</i> <i>Foxtail mosaic virus (FoMV) (Potexvirus)</i> <i>Frangipani mosaic virus (FrMV) (Tobamovirus)</i> <i>French bean mosaic virus</i> <i>Freesia leaf necrosis virus (FLNV) (Varicosavirus)</i> <i>Freesia mosaic virus (FreMV) (Potyviridae, Potyvirus)</i> <i>Galinsoga mosaic virus (GaMV) (Tombusviridae, carmovirus)</i> <i>Glycine mosaic virus (GMV) (Comoviridae, Comovirus)</i> <i>Grapevine Algerian latent virus (GALV) (Tombusviridae, Tombusvirus)</i> <i>Grapevine asteroid mosaic virus</i> <i>Grapevine berry inner necrosis virus (GINV) (Trichovirus)</i> <i>Grapevine Bulgarian latent virus (GBLV) (Comoviridae, Nepovirus)</i> <i>Grapevine chrome mosaic virus (GCMV) (Comoviridae, Nepovirus)</i> <i>Grapevine leafroll-associated virus 1 (GLRAV-1)(Closteroviridae, Ampelovirus)</i> <i>Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)</i> <i>Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)</i> <i>Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)</i> <i>Grapevine fleck virus (GFkV)</i> <i>Grapevine stunt virus</i> <i>Grapevine vein necrosis virus</i> <i>Grapevine virus A (GVA) (Betaflexiviridae, Vitivirus)</i> <i>Grapevine virus B (GVB) (Vitivirus, Flexiviridae)</i> <i>Grapevine yellow speckle viroid (GYSVd) (Pospiviroidae, Apscaviroid)</i> <i>Groundnut chlorotic leaf streak virus</i> <i>Groundnut chlorotic spotting virus</i> <i>Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)</i> <i>Groundnut rosette virus (GRV) (Umbravirus)</i></p>	
--	--	--

<p>Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus) Guar symptomless virus (GSLV) (Potyviridae, Potyvirus) Guar top necrosis virus Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus) Helenium virus S (HVS) (Carlavirus) Helenium virus Y (HVY) (Potyviridae, Potyvirus) Henbane mosaic virus (HBMV) (Potyviridae, Potyvirus) Heracleum latent virus (HLV) (Vitivirus) Hibiscus latent ringspot virus (HLRSV) (Comoviridae, nepovirus) Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus) Hippeastrum mosaic virus Honeysuckle latent virus (LnLV) (Carlavirus) Hop American latent (AHLV) (Carlavirus) Hop latent virus (HpLV) (Carlavirus) Hop mosaic virus (HpMV) (Carlavirus) Hop trefoil cryptic virus 1 (HTCV-1) (Partitiviridae, alphacryptovirus) Hop trefoil cryptic virus 2 (HTCV-2) (Partitiviridae, betacryptovirus) Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus) Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae) Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus) Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus) Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus) Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus) Hydrangea ringspot virus (HRSV) (Potexvirus) Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus) Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus) Iris Japanese necrotic ring virus Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus) Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus) Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus) Indian peanut clump virus (IPCV) (Pecluvirus) Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus) Iranian maize mosaic virus Jatropha mosaic virus (JMV) (Geminiviridae, bigeminivirus) Johnsongrass mosaic (JGMV) (Potyviridae, Potyvirus) Kalanchoe isometric virus Kalanchoe latent virus (KLV) (Carlavirus) Kalanchoe top-spotting virus (KTSV) (Caulimoviridae, badnavirus) Kennedy yellow mosaic virus (KYMV) (Tymovirus) Kennedy virus Y (KVY) (Potyviridae, Potyvirus) Kyuri green mottle mosaic virus (KGMMV) (Tobamovirus) Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus) Kober stem grooving Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus) Lato River virus (LRV) (Tombusviridae, tombusvirus) Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus) Lettuce big-vein virus (LBVV) (Varicosavirus) Lettuce mosaic virus (LMV) (Potyviridae, potyvirus) Lettuce necrotic yellows virus (LNYV) (Rhabdoviridae, cytorhabdovirus)</p>	<p>Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus) Guar symptomless virus (GSLV) (Potyviridae, Potyvirus) Guar top necrosis virus Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus) Helenium virus S (HVS) (Carlavirus) Helenium virus Y (HVY) (Potyviridae, Potyvirus) Henbane mosaic virus (HBMV) (Potyviridae, Potyvirus) Heracleum latent virus (HLV) (Vitivirus) Hibiscus latent ringspot virus (HLRSV) (Comoviridae, nepovirus) Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus) Hippeastrum mosaic virus Honeysuckle latent virus (LnLV) (Carlavirus) Hop American latent (AHLV) (Carlavirus) Hop latent virus (HpLV) (Carlavirus) Hop mosaic virus (HpMV) (Carlavirus) Hop trefoil cryptic virus 1 (HTCV-1) (Partitiviridae, alphacryptovirus) Hop trefoil cryptic virus 2 (HTCV-2) (Partitiviridae, betacryptovirus) Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus) Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae) Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus) Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus) Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus) Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus) Hydrangea ringspot virus (HRSV) (Potexvirus) Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus) Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus) Iris Japanese necrotic ring virus Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus) Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus) Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus) Indian peanut clump virus (IPCV) (Pecluvirus) Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus) Iranian maize mosaic virus Jatropha mosaic virus (JMV) (Geminiviridae, bigeminivirus) Johnsongrass mosaic (JGMV) (Potyviridae, Potyvirus) Kalanchoe isometric virus Kalanchoe latent virus (KLV) (Carlavirus) Kalanchoe top-spotting virus (KTSV) (Caulimoviridae, badnavirus) Kennedy yellow mosaic virus (KYMV) (Tymovirus) Kennedy virus Y (KVY) (Potyviridae, Potyvirus) Kyuri green mottle mosaic virus (KGMMV) (Tobamovirus) Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus) Kober stem grooving Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus) Lato River virus (LRV) (Tombusviridae, tombusvirus) Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus) Lettuce big-vein virus (LBVV) (Varicosavirus) Lettuce mosaic virus (LMV) (Potyviridae, potyvirus) Lettuce necrotic yellows virus (LNYV) (Rhabdoviridae, cytorhabdovirus)</p>	
--	--	--

<p> <i>Lettuce speckles mottle virus (LSMV) (Umbravirus)</i> <i>Lilac chlorotic leafspot virus (LCLV) (Capillovirus)</i> <i>Lilac mottle virus (LiMV) (Carlavirus)</i> <i>Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)</i> <i>Lily mottle virus (LMOV) (Potyviridae, potyvirus)</i> <i>Lily virus X (LVX) (Potexvirus)</i> <i>Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)</i> <i>Limabean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)</i> <i>Little cherry virus (LChV) (Closteroviridae, Closterovirus)</i> <i>LN33 stem grooving</i> <i>Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)</i> <i>Lucerne vein yellowing virus</i> <i>Lucerne transient streak virus (LTSV) (Sobemovirus)</i> <i>Lychnis ringspot virus (LRSV) (Hordeivirus)</i> <i>Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)</i> <i>Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)</i> <i>Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)</i> <i>Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)</i> <i>Maize line virus</i> <i>Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Maize rayado fino virus (MRFV) (Marafivirus)</i> <i>Maize white line mosaic virus (MWLMV)</i> <i>Maize mottle/chlorotic stunt virus</i> <i>Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)</i> <i>Maize streak virus (MSV) (Genimiviridae, Mastrevirus)</i> <i>Malvastrum mottle virus</i> <i>Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)</i> <i>Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)</i> <i>Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)</i> <i>Melon leaf curl virus (MLCV) (Geminiviridae, bigeminivirus)</i> <i>Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)</i> <i>Melon Ourmia virus (OuMV) (Ourmiavirus)</i> <i>Melon rugose mosaic virus (MRMV) (Tymovirus)</i> <i>Milk vetch dwarf virus (MDV) (Nanovirus)</i> <i>Mimosa mosaic virus</i> <i>Mirabilis mosaic virus (MiMV) (Caulimovirus)</i> <i>Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)</i> <i>Mulberry latent virus (MLV) (Carlavirus)</i> <i>Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)</i> <i>Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)</i> <i>Muskmelon vein necrosis virus (MuVNV) (Carlavirus)</i> <i>Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)</i> <i>Narcissus latent virus (NLV) (Potyviridae, macluravirus)</i> <i>Narcissus mosaic virus (NMV) (Potexvirus)</i> <i>Narcissus yellow stripe virus (Potyviridae, potyvirus)</i> <i>Natsudaidai dwarf virus (NDV) (Sadwavirus)</i> <i>Neckar River virus (NRV) (Tombusviridae, tombusvirus)</i> <i>Nerine latent virus (NeLV) (Carlavirus)</i> <i>Nerine virus (NV) (Potyviridae, potyvirus)</i> </p>	<p> <i>Lettuce speckles mottle virus (LSMV) (Umbravirus)</i> <i>Lilac chlorotic leafspot virus (LCLV) (Capillovirus)</i> <i>Lilac mottle virus (LiMV) (Carlavirus)</i> <i>Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)</i> <i>Lily mottle virus (LMOV) (Potyviridae, potyvirus)</i> <i>Lily virus X (LVX) (Potexvirus)</i> <i>Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)</i> <i>Limabean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)</i> <i>Little cherry virus (LChV) (Closteroviridae, Closterovirus)</i> <i>LN33 stem grooving</i> <i>Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)</i> <i>Lucerne vein yellowing virus</i> <i>Lucerne transient streak virus (LTSV) (Sobemovirus)</i> <i>Lychnis ringspot virus (LRSV) (Hordeivirus)</i> <i>Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)</i> <i>Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)</i> <i>Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)</i> <i>Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)</i> <i>Maize line virus</i> <i>Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Maize rayado fino virus (MRFV) (Marafivirus)</i> <i>Maize white line mosaic virus (MWLMV)</i> <i>Maize mottle/chlorotic stunt virus</i> <i>Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)</i> <i>Maize streak virus (MSV) (Genimiviridae, Mastrevirus)</i> <i>Malvastrum mottle virus</i> <i>Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)</i> <i>Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)</i> <i>Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)</i> <i>Melon leaf curl virus (MLCV) (Geminiviridae, bigeminivirus)</i> <i>Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)</i> <i>Melon Ourmia virus (OuMV) (Ourmiavirus)</i> <i>Melon rugose mosaic virus (MRMV) (Tymovirus)</i> <i>Milk vetch dwarf virus (MDV) (Nanovirus)</i> <i>Mimosa mosaic virus</i> <i>Mirabilis mosaic virus (MiMV) (Caulimovirus)</i> <i>Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)</i> <i>Mulberry latent virus (MLV) (Carlavirus)</i> <i>Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)</i> <i>Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)</i> <i>Muskmelon vein necrosis virus (MuVNV) (Carlavirus)</i> <i>Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)</i> <i>Narcissus latent virus (NLV) (Potyviridae, macluravirus)</i> <i>Narcissus mosaic virus (NMV) (Potexvirus)</i> <i>Narcissus yellow stripe virus (Potyviridae, potyvirus)</i> <i>Natsudaidai dwarf virus (NDV) (Sadwavirus)</i> <i>Neckar River virus (NRV) (Tombusviridae, tombusvirus)</i> <i>Nerine latent virus (NeLV) (Carlavirus)</i> <i>Nerine virus (NV) (Potyviridae, potyvirus)</i> </p>	
---	---	--

<p><i>Nerine virus X (NVX) (Potexvirus)</i> <i>Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)</i> <i>Oak ringspot virus</i> <i>Oat blue dwarf virus (OBDV) (Marafivirus)</i> <i>Oat golden stripe virus (OGSV) (Furovirus)</i> <i>Oat mosaic virus (OMV)(Potyviridae, bymovirus)</i> <i>Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)</i> <i>Oat red streak mosaic virus</i> <i>Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)</i> <i>Okra leaf-curl virus (OLCV) (Geminivirus, bigeminivirus)</i> <i>Okra mosaic virus (OkMV) (Tymovirus)</i> <i>Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)</i> <i>Ononis yellow mosaic virus (OYMV) (Tymovirus)</i> <i>Opuntia Sammons' virus (SOV) (Tobamovirus)</i> <i>Ornithogalum mosaic virus</i> <i>Pangola stunt virus (PaSV) (Reoviridae, Fijivirus)</i> <i>Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)</i> <i>Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)</i> <i>Papaya meleira virus (PMeV)</i> <i>Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)</i> <i>Paprika mild mottle virus (PaMMV) (Tobamovirus)</i> <i>Parietaria mottle virus (PmoV) (Bromoviridae, ilarvirus)</i> <i>Parsnip leafcurl virus</i> <i>Parsnip mosaic virus (ParMV)</i> <i>Parsnip yellow fleck virus (PYFV) (Sequiviridae, sequivirus)</i> <i>Paspalum striate mosaic virus (PSMV) (Geminiviridae, monogeminivirus)</i> <i>Passiflora latent virus (PLV)(Carlavirus)</i> <i>Passiflora South African virus (Potyviridae, potyvirus)</i> <i>Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)</i> <i>Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)</i> <i>Passionfruit yellow mosaic virus (PaYMV) (Tymovirus)</i> <i>Patchouli mosaic virus (Potyviridae, potyvirus)</i> <i>Pea early browning virus (PEBV) (Tobravirus)</i> <i>Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)</i> <i>Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)</i> <i>Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)</i> <i>Pea mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)</i> <i>Peanut green mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)</i> <i>Peanut yellow spot virus (PeYMV) (Tospovirus)</i> <i>Peach American mosaic virus</i> <i>Peach latent mosaic viroid (PLMVd)</i> <i>Peach mosaic virus (PMV) (Trichovirus)</i> <i>Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)</i> <i>Peanut clump virus (PCV) (Pecluvirus)</i> <i>Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscaviriod)</i> <i>Pear necrotic spot virus</i> <i>Pepper chat fruit viroid (PCFVd) (Pospiviroidae, Pospiviroid)</i></p>	<p><i>Nerine virus X (NVX) (Potexvirus)</i> <i>Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)</i> <i>Oak ringspot virus</i> <i>Oat blue dwarf virus (OBDV) (Marafivirus)</i> <i>Oat golden stripe virus (OGSV) (Furovirus)</i> <i>Oat mosaic virus (OMV)(Potyviridae, bymovirus)</i> <i>Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)</i> <i>Oat red streak mosaic virus</i> <i>Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)</i> <i>Okra leaf-curl virus (OLCV) (Geminivirus, bigeminivirus)</i> <i>Okra mosaic virus (OkMV) (Tymovirus)</i> <i>Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)</i> <i>Ononis yellow mosaic virus (OYMV) (Tymovirus)</i> <i>Opuntia Sammons' virus (SOV) (Tobamovirus)</i> <i>Ornithogalum mosaic virus</i> <i>Pangola stunt virus (PaSV) (Reoviridae, Fijivirus)</i> <i>Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)</i> <i>Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)</i> <i>Papaya meleira virus (PMeV)</i> <i>Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)</i> <i>Paprika mild mottle virus (PaMMV) (Tobamovirus)</i> <i>Parietaria mottle virus (PmoV) (Bromoviridae, ilarvirus)</i> <i>Parsnip leafcurl virus</i> <i>Parsnip mosaic virus (ParMV)</i> <i>Parsnip yellow fleck virus (PYFV) (Sequiviridae, sequivirus)</i> <i>Paspalum striate mosaic virus (PSMV) (Geminiviridae, monogeminivirus)</i> <i>Passiflora latent virus (PLV)(Carlavirus)</i> <i>Passiflora South African virus (Potyviridae, potyvirus)</i> <i>Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)</i> <i>Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)</i> <i>Passionfruit yellow mosaic virus (PaYMV) (Tymovirus)</i> <i>Patchouli mosaic virus (Potyviridae, potyvirus)</i> <i>Pea early browning virus (PEBV) (Tobravirus)</i> <i>Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)</i> <i>Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)</i> <i>Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)</i> <i>Pea mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)</i> <i>Peanut green mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)</i> <i>Peanut yellow spot virus (PeYMV) (Tospovirus)</i> <i>Peach American mosaic virus</i> <i>Peach latent mosaic viroid (PLMVd)</i> <i>Peach mosaic virus (PMV) (Trichovirus)</i> <i>Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)</i> <i>Peanut clump virus (PCV) (Pecluvirus)</i> <i>Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscaviriod)</i> <i>Pear necrotic spot virus</i> <i>Pepper chat fruit viroid (PCFVd) (Pospiviroidae, Pospiviroid)</i></p>	
--	--	--

<p>Pineapple bacilliform virus (PBV) (<i>Badnavirus</i>, <i>Caulimoviridae</i>) Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (<i>Ampelovirus</i>, <i>Closteroviridae</i>) Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (<i>Ampelovirus</i>, <i>Closteroviridae</i>) Plum American line pattern virus (APLPV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) Plum bark split virus Plum pox virus (PPV) (<i>Potyviridae</i>, <i>Potyvirus</i>) Plum rusty blotch Potato black ringspot virus (PBRV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Potato deforming mosaic virus Potato mop-top virus (PMTV) (<i>Pomovirus</i>) Potato virus T (PVT) (<i>Trichovirus</i>) Potato virus U (PVU) (<i>Comoviridae</i>, <i>Nepovirus</i>) Potato virus V (PVV) (<i>Potyviridae</i>, <i>Potyvirus</i>) Potato yellow dwarf virus (PYDV) (<i>Rhabdoviridae</i>, <i>Nucleorhabdovirus</i>) Potato yellow vein virus (PYVV) (<i>Closteroviridae</i>, <i>Crinivirus</i>) Potato yellowing virus Prune dwarf virus (PDV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) Prunus necrotic ringspot virus (PNRSV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) Raspberry leaf curl virus Raspberry ringspot virus (RpRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Red clover mottle virus (RCMV) (<i>Comoviridae</i>, <i>Comovirus</i>) Rice gall dwarf virus (RGDV) (<i>Reoviridae</i>, <i>Phytoreovirus</i>) Rice tungro bacilliform virus (RTBV) (<i>Caulimoviridae</i>, <i>Rice tungro bacilliform-like virus</i>) Rice tungro spherical virus (RTSV) (<i>Sequiviridae</i>, <i>Waikavirus</i>) Rice yellow mottle virus (RYMV) (<i>Sobemovirus</i>) Rupestris stem pitting-associated virus (<i>Foveavirus</i>, <i>Flexiviridae</i>) Squash leaf curl virus (SLCV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Squash mosaic virus (SqMV) (<i>Comoviridae</i>, <i>Comovirus</i>) Strawberry latent ringspot virus (SLRSV) (<i>Sadwavirus</i>) Strawberry veinbanding virus (SVBV) (<i>Caulimoviridae</i>, <i>Caulimovirus</i>) Sugarcane yellow leaf virus (ScYLV) (<i>Polerovirus</i>, <i>Luteoviridae</i>) Tobacco rattle virus (TRV) (<i>Tobravirus</i>) Tobacco ringspot virus (TRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Tobacco mosaic virus (TMV) (<i>Tobamovirus</i>) Tobacco necrosis virus Tobacco streak virus (TSV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) Tomato apical stunt viroid (TASVd) (<i>Pospiviroidae</i>, <i>Pospiviroid</i>) Tomato black ring virus (TBRV) (<i>Comoviridae</i>, <i>Nepovirus</i>)</p> <p>Tomato bushy stunt virus (TBSV) (<i>Tombusvirus</i>, <i>Tombusviridae</i>) Tomato chlorotic dwarf viroid (TCDVd) (<i>Pospiviroidae</i>, <i>Pospiviroid</i>) Tomato mottle mosaic virus (ToMMV) (<i>Virgaviridae</i>, <i>Tobamovirus</i>) Tomato mottle virus (ToMoV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Tomato planta macho viroid (TPMVd) (<i>Pospiviroidae</i>, <i>Pospiviroid</i>) Tomato ringspot virus (ToRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Tomato yellow leaf curl virus (TYLCV) (<i>Geminiviridae</i>, <i>Begomovirus</i>)</p>	<p>Pineapple bacilliform virus (PBV) (<i>Badnavirus</i>, <i>Caulimoviridae</i>) Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (<i>Ampelovirus</i>, <i>Closteroviridae</i>) Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (<i>Ampelovirus</i>, <i>Closteroviridae</i>) Plum American line pattern virus (APLPV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) Plum bark split virus Plum pox virus (PPV) (<i>Potyviridae</i>, <i>Potyvirus</i>) Plum rusty blotch Potato black ringspot virus (PBRV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Potato deforming mosaic virus Potato mop-top virus (PMTV) (<i>Pomovirus</i>) Potato virus T (PVT) (<i>Trichovirus</i>) Potato virus U (PVU) (<i>Comoviridae</i>, <i>Nepovirus</i>) Potato virus V (PVV) (<i>Potyviridae</i>, <i>Potyvirus</i>) Potato yellow dwarf virus (PYDV) (<i>Rhabdoviridae</i>, <i>Nucleorhabdovirus</i>) Potato yellow vein virus (PYVV) (<i>Closteroviridae</i>, <i>Crinivirus</i>) Potato yellowing virus Prune dwarf virus (PDV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) Prunus necrotic ringspot virus (PNRSV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) Raspberry leaf curl virus Raspberry ringspot virus (RpRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Red clover mottle virus (RCMV) (<i>Comoviridae</i>, <i>Comovirus</i>) Rice gall dwarf virus (RGDV) (<i>Reoviridae</i>, <i>Phytoreovirus</i>) Rice tungro bacilliform virus (RTBV) (<i>Caulimoviridae</i>, <i>Rice tungro bacilliform-like virus</i>) Rice tungro spherical virus (RTSV) (<i>Sequiviridae</i>, <i>Waikavirus</i>) Rice yellow mottle virus (RYMV) (<i>Sobemovirus</i>) Rupestris stem pitting-associated virus (<i>Foveavirus</i>, <i>Flexiviridae</i>) Squash leaf curl virus (SLCV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Squash mosaic virus (SqMV) (<i>Comoviridae</i>, <i>Comovirus</i>) Strawberry latent ringspot virus (SLRSV) (<i>Sadwavirus</i>) Strawberry veinbanding virus (SVBV) (<i>Caulimoviridae</i>, <i>Caulimovirus</i>) Sugarcane yellow leaf virus (ScYLV) (<i>Polerovirus</i>, <i>Luteoviridae</i>) Tobacco rattle virus (TRV) (<i>Tobravirus</i>) Tobacco ringspot virus (TRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Tobacco mosaic virus (TMV) (<i>Tobamovirus</i>) Tobacco necrosis virus Tobacco streak virus (TSV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) Tomato apical stunt viroid (TASVd) (<i>Pospiviroidae</i>, <i>Pospiviroid</i>) Tomato black ring virus (TBRV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <u>Tomato brown rugose fruit virus (ToBRFV) (<i>Virgaviridae</i>, <i>Tobamovirus</i>)</u> Tomato bushy stunt virus (TBSV) (<i>Tombusvirus</i>, <i>Tombusviridae</i>) Tomato chlorotic dwarf viroid (TCDVd) (<i>Pospiviroidae</i>, <i>Pospiviroid</i>) Tomato mottle mosaic virus (ToMMV) (<i>Virgaviridae</i>, <i>Tobamovirus</i>) Tomato mottle virus (ToMoV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Tomato planta macho viroid (TPMVd) (<i>Pospiviroidae</i>, <i>Pospiviroid</i>) Tomato ringspot virus (ToRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Tomato yellow leaf curl virus (TYLCV) (<i>Geminiviridae</i>, <i>Begomovirus</i>)</p>	
---	--	--

<p><i>Tulare apple mosaic virus</i> (TAMV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) <i>Tulip breaking virus</i> <i>Ullucus virus C</i> (UVC) (<i>Comoviridae</i>, <i>comovirus</i>) <i>Ullucus mild mottle virus</i> (UMMV) (<i>Tobamovirus</i>) <i>Ullucus mosaic virus</i> (UMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Urd bean leaf crinkle virus</i> <i>Vallota mosaic virus</i> (ValMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Vanilla mosaic virus</i> (VanMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Vanilla necrosis virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Velvet tobacco mottle virus</i> (VTMoV) (<i>Sobemovirus</i>) <i>Viola mottle virus</i> (VMV) (<i>Potexvirus</i>) <i>Voandzeia distortion mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Voandzeia necrotic mosaic virus</i> (VNMV) (<i>Tymovirus</i>) <i>Watercress yellow spot virus</i> (WYSV) <i>Watermelon chlorotic stunt virus</i> (WmCSV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Watermelon curly mottle virus</i> (WmCMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Watermelon mosaic virus 2</i> (WMV-2) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Wheat American striate mosaic virus</i> (WASMV) (<i>Rhabdovirus</i>, <i>ucleorhabdovirus</i>) <i>Wheat yellow leaf virus</i> (WYLV) (<i>Closteroviridae</i>, <i>Closterovirus</i>) <i>Wheat dwarf virus</i> (WDV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Wheat soil-borne mosaic virus</i> (SBWMV) (<i>Furovirus</i>) <i>Wheat streak mosaic virus</i> (WSMV) (<i>Potyviridae</i>, <i>rymovirus</i>) <i>Wheat spindle streak mosaic virus</i> (WSSMV) (<i>Potyvirida</i>, <i>bymovirus</i>) <i>Wheat yellow mosaic virus</i> (WYMV) (<i>Potyviridae</i>, <i>bymovirus</i>) <i>White clover mosaic virus</i> (WCIMV) (<i>Potexvirus</i>) <i>Wild cucumber mosaic virus</i> (WCMV) (<i>Tymovirus</i>) <i>Wild potato mosaic</i> (WPMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Wineberry latent virus</i> (WLV) <i>Wisteria vein mosaic virus</i> (WVMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Yam mosaic virus</i> (YMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Zucchini yellow fleck virus</i> (ZYFV) (<i>Potyviridae</i>, <i>Potyvirus</i>) 備註：以上病毒之媒介有害生物亦一併列入管制</p>	<p><i>Tulare apple mosaic virus</i> (TAMV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) <i>Tulip breaking virus</i> <i>Ullucus virus C</i> (UVC) (<i>Comoviridae</i>, <i>comovirus</i>) <i>Ullucus mild mottle virus</i> (UMMV) (<i>Tobamovirus</i>) <i>Ullucus mosaic virus</i> (UMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Urd bean leaf crinkle virus</i> <i>Vallota mosaic virus</i> (ValMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Vanilla mosaic virus</i> (VanMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Vanilla necrosis virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Velvet tobacco mottle virus</i> (VTMoV) (<i>Sobemovirus</i>) <i>Viola mottle virus</i> (VMV) (<i>Potexvirus</i>) <i>Voandzeia distortion mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Voandzeia necrotic mosaic virus</i> (VNMV) (<i>Tymovirus</i>) <i>Watercress yellow spot virus</i> (WYSV) <i>Watermelon chlorotic stunt virus</i> (WmCSV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Watermelon curly mottle virus</i> (WmCMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Watermelon mosaic virus 2</i> (WMV-2) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Wheat American striate mosaic virus</i> (WASMV) (<i>Rhabdovirus</i>, <i>ucleorhabdovirus</i>) <i>Wheat yellow leaf virus</i> (WYLV) (<i>Closteroviridae</i>, <i>Closterovirus</i>) <i>Wheat dwarf virus</i> (WDV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Wheat soil-borne mosaic virus</i> (SBWMV) (<i>Furovirus</i>) <i>Wheat streak mosaic virus</i> (WSMV) (<i>Potyviridae</i>, <i>rymovirus</i>) <i>Wheat spindle streak mosaic virus</i> (WSSMV) (<i>Potyvirida</i>, <i>bymovirus</i>) <i>Wheat yellow mosaic virus</i> (WYMV) (<i>Potyviridae</i>, <i>bymovirus</i>) <i>White clover mosaic virus</i> (WCIMV) (<i>Potexvirus</i>) <i>Wild cucumber mosaic virus</i> (WCMV) (<i>Tymovirus</i>) <i>Wild potato mosaic</i> (WPMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Wineberry latent virus</i> (WLV) <i>Wisteria vein mosaic virus</i> (WVMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Yam mosaic virus</i> (YMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Zucchini yellow fleck virus</i> (ZYFV) (<i>Potyviridae</i>, <i>Potyvirus</i>) 備註：以上病毒之媒介有害生物亦一併列入管制</p>	
--	--	--